

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

SPRING 1908

*U.S. Department of Agriculture,
Washington, D. C.*

**TRADE LIST
OF THE
F. & F. NURSERIES
DEPARTMENT OF THE
American Nursery Co.**

Springfield, Union Co., N. J.

**17 Miles from New York on the Rahway Valley
Railroad or Millburn Station, D. L. & W. R. R.**

Established at Roselle, N. J., in 1882.

New York Office, 150 Broadway

Tel. 1169 Cort'd

THE SHIPPING SEASON.

We usually commence digging and shipping about the middle of March, continuing until May.

A certificate of inspection from the State Entomologist will accompany each shipment.

We have a complete fumigating outfit, and when requested will fumigate all stock.

Use the Nurseryman's Telegraphic code in Telegraphing.

For convenience and economy in ordering by wire, a telegraph cipher is attached to each article.

Local and Long Distance Phone, MILLBURN 152.

NOTICE TO CUSTOMERS.

We would say to those unacquainted with us that we have 200 acres devoted to the business; our methods of growing and handling stock are up to date. We solicit correspondence and personal inspection of our stock, confident that it will compare favorably with the best.

REFERENCES—For those who do not know us we refer to any leading nurseryman in the United States, Dun and Bradstreet's Mercantile Agencies.

PRICES—This list is intended for nurserymen, and dealers only and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively. We have tried to make our prices as low as we think well-grown stock should be sold. We expect, however, to sell on the market and meet reliable competition.

TERMS—We are glad to grant 30 to 60 days' time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or a guarantee signed by some Bank or some one of known responsibility to be sure of securing goods selected. If references are sent, we will confer with them, and after hearing favorably, if goods selected are still unsold, we will enter them as requested, but we will not enter orders or ship goods until we know the customer is responsible.

We will not hold goods on inquiries.

Trees selected by customers at the nursery will be charged for in accordance with their value.

PACKING—This is done in boxes and bales for which a charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

COMPLAINTS—Should there be any reason for complaint we must be notified on receipt of goods, otherwise we cannot entertain it. We make it a point to give all reasonable claims proper consideration.

ORDERS—Are accepted upon condition that they shall be void should any injury befall the stock from frost, or other cause over which we have no control.

VARIETIES—We reserve the right to select the varieties, but will give the purchaser his choice as far as is consistent with our stock. In ordering please state whether or not substitution will be permitted in case we should be short of any sort wanted.

GUARANTEE OF GENUINENESS—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that may prove untrue, we do not give any warranty expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the stock.

ORNAMENTAL DEPARTMENT.

DECIDUOUS TREES.

| | Tel. Code | Each | Per 10 | Per 100 |
|--|----------------|--------|--------|---------|
| ACER —Colchicum, Rubrum, 3-4 ft..... | Gable..... | \$0 25 | \$2 00 | |
| —Dasycarpum, Silver Maple , 8-10 ft., 1 1/4 in..... | Gad..... | 35 | 3 00 | \$25 00 |
| 10-11 ft., 1 1/2 in..... | Gaddier | 45 | 4 00 | 35 00 |
| 11-12 ft., 1 3/4 in..... | Gaelic..... | 60 | 5 50 | 50 00 |
| 12-13 ft., 2 in..... | Gafty..... | 75 | 7 00 | 65 00 |
| 13-14 ft., 2 1/4 in..... | Gag..... | 1 00 | 8 50 | |
| 14-15 ft., 2 1/2 in..... | Gage..... | 1 25 | | |
| — — Wierii, Wier's Cut Leaf , 8-10 ft., 1 1/4 in..... | Gaily | 35 | 3 50 | |
| 10-11 ft., 1 1/2 in..... | Gain..... | 55 | 5 00 | |
| 11-12 ft., 1 3/4 in..... | Gainer | 75 | | |
| 12-13 ft., 2 in..... | Gaining | 1 00 | | |
| — Negundo, Ash Leaf Maple , 8-10 ft., 1 1/4 in..... | Gainless | 30 | 2 50 | |
| 10-11 ft., 1 1/2 in..... | Gairish | 40 | 3 00 | |
| 11-12 ft., 1 3/4 in..... | Gait | 50 | 4 00 | |
| 12-13 ft., 2 in..... | Gaiter | 60 | | |
| 12-14 ft., 2 1/2 in..... | Gala..... | 1 00 | | |
| Var. leaved, 4-5 ft..... | Galaxy | 50 | | |
| — Platanoides, Norway Maple , 8-10 ft., 1 1/4 in..... | Gale..... | 55 | 5 00 | |
| 10-11 ft., 1 1/2 in..... | Galeas | 70 | 6 50 | 60 00 |
| 11-12 ft., 1 3/4 in..... | Galeate | 85 | 8 00 | |
| 12-13 ft., 2 in..... | Galilee | 1 20 | 11 00 | |
| 13-14 ft., 2 1/2 in..... | Galiot | 1 75 | 16 00 | |
| — — Schwedlerii, 5-7 ft..... | Gall | 45 | | |
| 8-10 ft..... | Gallant | 1 00 | 9 00 | |
| 10 to 12 ft..... | Gallate | 1 25 | | |
| — — Reitenbacii, 3-4 ft..... | Gallery | 35 | | |
| — Pseudo Platanus, Sycamore , 8-10 ft., 1 1/4 in..... | Galley | 40 | | |
| 10-11 ft., 1 1/2 in..... | Gallic | 80 | | |
| 11-12 ft., 2 in..... | Galling | 1 00 | | |
| 12-13 ft., 2 1/2 in..... | Gallon | 1 50 | | |
| — Rubrum, Red or Scarlet Maple , 7-9 ft..... | Galloon | 50 | | |
| 8-10 ft..... | Gallop | 65 | | |
| 10-12 ft | Gallows | 90 | | |
| 8-10 ft., 1 1/8 in..... | Gally | 40 | 3 50 | |
| 12-14 ft., 1 1/4 in..... | Galore | 50 | 4 50 | 40 00 |
| 12-15 ft., 1 1/2 in..... | Galsome | 65 | 6 00 | 55 00 |
| 13-16 ft., 1 3/4 in..... | Galt | 90 | 8 00 | 75 00 |
| 16-18 ft., 2 in..... | Gambit | 1 20 | 9 50 | 90 00 |
| 16-18 ft., 2 1/2 in..... | Gamble | 1 50 | | |
| — Striatum, 5-6 ft..... | Gambler | 50 | | |
| — Tartaricum Rubrum, 3-4 ft., low branched..... | Game | 30 | 2 50 | |
| 5-6 ft., " " | Gamester | 40 | | |
| — — Ginnala, 2-3 ft., low branched..... | Gamut | 25 | 2 00 | 15 00 |
| 3-4 ft., " " | Ganch | 30 | 2 50 | |
| — Japonicum Aureum, Golden Lvd., 1 1/2-2 in..... | Gander | 75 | 6 00 | |
| " " " 2 -2 1/2 ft..... | Gang | 85 | 7 50 | |
| " " " 2 1/2-3 ft..... | Gap | 1 10 | 10 00 | |
| — Polymorphum, Green Leaved, 2-3 ft..... | Gape | 30 | 2 50 | 20 00 |
| 3-4 ft..... | Gaper | 40 | 3 00 | 25 00 |
| — — Atropurpureum, Purple Leaved, 18 in..... | Gaping | 65 | 6 00 | 50 00 |
| 1 1/2-2 ft..... | Garb | 70 | 6 50 | 60 00 |
| 2-2 1/2 ft..... | Garbage | 1 00 | | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|-----|-----------|--------|--------|---------|
| ACER —Continued | | | | | |
| — — — Dissectum, Cut Lf. Purple, 1½-2 ft. | ... | Garden | \$0 75 | \$0 65 | \$60 00 |
| “ “ 2-3 ft. | ... | Gargle | 1 00 | 9 00 | 80 00 |
| — — Dissectum, Cut Leaved Green, 1½ ft. | ... | Garish | 70 | | |
| 2 ft. | ... | Garland | 1 00 | | |
| — — Filicifolia, 15-18 in. | ... | Garlic | 6 00 | 5 00 | |
| — — Roseo Marginata, 15-18 in. | ... | Garment | 60 | 5 00 | |
| — — Reticulatum, 12-15 in. | ... | Garner | 60 | | |
| — — Sanguineum, Blood Leaved 12-15 in. | ... | Garnet | 60 | | |
| 1 ½ ft. | ... | Garnish | 70 | | |
| — — Versicolor, 15-18 in. | ... | Garnished | 60 | 5 00 | |
| AILANTHUS —Glandulosa, 3-5 ft. | ... | Garret | 25 | | |
| AMYGDALUS —Flowering Peach, { 3-4 ft. | ... | Garrison | 12 | 1 00 | |
| Red and White, { 4-5 ft. | ... | Gas | 15 | 1 20 | |
| { 5-6 ft. | ... | Gash | 20 | 1 50 | |
| ANDROMEDA —(See Shrubs) | | | | | |
| ARALIA —(See Shrubs) | | | | | |
| ACACIA —Inermis, Globe Acacia , on 6 ft., stems | ... | Gashed | 1 00 | | |
| AESCRULUS —Hippoc., Horsechestnut , 6-7 ft. | ... | Gasp | 50 | 4 00 | |
| 7-8 ft. | ... | Gaspings | 60 | 5 00 | |
| 10-12 ft. | ... | Gasped | 1 00 | 9 00 | |
| 3-4 in. | ... | Gastric | 2 00 | 17 50 | |
| — — Rubicunda, Red Horsechestnut, 4-6 ft. | ... | Gates | 80 | 7 50 | |
| 6-8 ft. | ... | Gateway | 1 00 | 9 00 | |
| — — Alba fl. pl., Dbl. White Flg., 8-9 ft. | ... | Gather | 80 | 7 50 | |
| 9-10 ft. | ... | Gaudy | 1 00 | | |
| BETULA —Alba, European Wh. Birch , 6-8 ft. | ... | Gauge | 30 | 2 50 | 20 00 |
| 8-10 ft. | ... | Gauging | 35 | 3 00 | |
| 10-12 ft. | ... | Gault | 50 | 4 00 | |
| — — Laciata, Weep.Cut. Lf. Birch , 4-6 ft. | ... | Gaunt | 35 | 3 00 | 25 00 |
| 6-8 ft. | ... | Gauntlet | 50 | 4 00 | |
| 8-10 ft. | ... | Gauze | 75 | | |
| — — Pend. Youngii, 3-4 ft. branched low | ... | Gave | 40 | 3 00 | |
| 4-5 ft. | “ “ | Gavot | 50 | 4 50 | |
| — — Purpurea, Purple Leaved, 5-7 ft. | ... | Gawky | 45 | | |
| — — Lenta, Sweet Birch, 3-4 ft. | ... | Gay | 15 | | |
| — — Papyracea, Canoe Paper Birch, 6-8 ft. | ... | Gayety | 25 | 2 00 | |
| CATALPA —Bungeii, Umbrella Catalpa — | | | | | |
| — Med. Heads { grafted on | ... | Gayly | 55 | 5 00 | 45 00 |
| — First class Heads { smooth | ... | Gaze | 60 | 6 00 | 55 00 |
| — Extra large Heads { straight | ... | Gazelle | 85 | 7 50 | |
| — Double Extra Large Hd. stems | ... | Gazette | 1 00 | | |
| — Nana, Dwarf Umbrella, 3-4 ft. | ... | Gazing | 35 | | |
| — Speciosa, Western Catalpa , 8-10 ft. | ... | Gear | 40 | 3 50 | 25 00 |
| 10-12 ft. | ... | Gearing | 50 | 4 50 | |
| 12-13 ft. | ... | Gelatin | 75 | 6 00 | |
| — Caragana Pendula, 8-9 ft. | ... | Gem | 1 00 | | |
| CERASUS — | | | | | |
| — Jap. Rosea Pend., Weep. Jap. Cherry , 3-4 ft. | ... | Gender | 75 | 6 50 | |
| 4-5 ft. | ... | General | 90 | 8 00 | |
| — Sinensis fl. pl., Chinese Dbl. Flg., 5-6 ft. | ... | Generate | 1 00 | 9 00 | |
| 3-4 ft. | ... | Generous | 35 | | |
| — — Pendula, Chinese Weeping, on 6 ft. stems | ... | Genesis | 90 | | |
| CERCIDIPHYLLIUM —Jap. Katsura, 3-4 ft. | ... | Genial | 30 | 2 50 | |
| 4-6 ft. | ... | Genius | 50 | | |
| CERCIS —Judas Tree, (See Shrubs) | | | | | |
| CLADRASTIS —Virgilia, Yel. Wood, 3-4 ft. | ... | Gent | 25 | 2 00 | |
| CORNUS — | | | | | |
| — Florida, Wh. Flowering Dogwood , 3-4 ft. | ... | Genteel | 30 | 2 50 | 20 00 |
| 4-5 ft. | ... | Gentle | 35 | 3 00 | 25 00 |
| 5-6 ft. | ... | Gently | 40 | 3 50 | |
| 6-8 ft. | ... | Genuine | 50 | | |
| — — Pendula, Weeping Dogwood , 3-4 ft. | ... | Geology | 75 | 6 00 | |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|-----------------|--------|--------|---------|
| CORNUS —Continued | | | | |
| — — <i>Rubra, Red Flg. Dogwood</i> , 1½-2 ft. | Germ . . . | \$0 40 | \$3 50 | \$32 50 |
| 2-3 ft. | German . . . | 45 | 4 00 | 35 00 |
| 3-4 ft. | Get . . . | 55 | 5 00 | |
| 4-5 ft. | Getting . . . | 65 | 6 00 | 55 00 |
| 5-6 ft. | Geyser . . . | 75 | 7 00 | |
| CRAETAGUS — | | | | |
| — — <i>Crux Galli, Cockspur Thorn</i> , 2-3 ft. | Gastly . . . | 15 | | |
| 3-4 ft. | Gherkin . . . | 25 | | |
| — — <i>Oxycantha, Thorne, Pink, Red and White</i> , 3-4 ft | Ghost . . . | 30 | 2 50 | |
| 4-6 ft. | Giant . . . | 40 | 3 50 | |
| CYTISSUS — <i>Laburnum, Golden Chain</i> , 3-4 ft. | Gibe . . . | 20 | | |
| " " " 5-6 ft. | Giblet . . . | 35 | | |
| EUONYMUS — <i>Europ. Eng. Straw. Tree</i> , 4-5 ft. | Giddiness . . . | 20 | | |
| 6-7 ft. | Giddy . . . | 30 | | |
| — — <i>Alatus, (See Shrubs)</i> | | | | |
| FAGUS <i>Sylvatica, English Beech</i> , 2 ft. | Gift . . . | 25 | | |
| — — <i>Asplenifolia, Cut Leaved Beech</i> , 2-3 ft. | Gifted . . . | 40 | 3 00 | |
| — — <i>Hetrophylla, Fern Lvd. Beech</i> , 3-4 ft. | Gig . . . | 60 | 5 00 | 40 00 |
| — — <i>Pendula, Weeping Beech</i> , 3-4 ft. | Giggle . . . | 60 | 5 00 | |
| 5-6 ft. | Gild . . . | 100 | 8 00 | |
| 7-8 ft. | Gilded . . . | 150 | | |
| — — <i>Purpurea, Purple Copper Leaved Beech</i> , 3-4 ft. light. | Gilt . . . | 35 | 3 00 | 25 00 |
| 4-5 ft stocky. | Gilding . . . | 50 | 4 00 | |
| 5-6 ft. | Gimlet . . . | 75 | 6 00 | |
| — + — <i>Pendula, Weeping Purple Leaved Beech</i> , 4-5 ft. | Gimp . . . | 100 | | |
| 5-6 ft. | Gin . . . | 150 | | |
| — — — <i>Riversii, River's Purple Leaved Beech</i> , 3-4 ft. | Ginger . . . | 50 | 4 00 | |
| 4-6 ft. | Gingham . . . | 75 | 6 50 | |
| 6-7 ft. | Gingle . . . | 125 | 10 00 | |
| — — <i>Tricolor</i> , 2-3 ft. | Gipsy . . . | 75 | | |
| 3-4 ft. | Giraffe . . . | 100 | 8 50 | |
| FRAXINUS <i>Americana, White Ash</i> , 6-8 ft. | Gird . . . | 25 | 2 00 | |
| 8-10 ft. | Girder . . . | 35 | 3 00 | 25 00 |
| 10-12 ft. | Girdle . . . | 50 | 4 50 | |
| GLYPSTOSTROBUS <i>Sinensis Pendula</i> , 5-7 ft. | Girl . . . | 60 | | |
| GYMNOCLADUS — <i>Ky. Coffee Tree</i> , 6-8 ft. | Girt . . . | 25 | 2 00 | |
| HALESIA TETRAPTERA — <i>Silv. Bell</i> , 2-3 ft. | Give . . . | 20 | 1 50 | |
| 3-4 ft. | Given . . . | 25 | 2 00 | |
| KOLREUTERIA <i>Paniculata</i> , 3-5 ft. | Giver . . . | 20 | 1 50 | |
| 4-5 ft. | Glad . . . | 25 | | |
| LARIX <i>Europaeus, Larch</i> , 2-3 ft. | Gladden . . . | 20 | 1 50 | 12 00 |
| 3-4 ft. | Glade . . . | 40 | 3 00 | |
| LIQUIDAMBER <i>Styrac.</i> , <i>Sweet Gum</i> , 6-8 ft. | Gladly . . . | 50 | 4 00 | |
| 8-10 ft. | Gladness . . . | 75 | 6 00 | |
| 4-6 ft. | Gladsome . . . | 25 | 2 00 | 15 00 |
| 6-8 ft. | Glamour . . . | 35 | 3 00 | 25 00 |
| 8-10 ft. | Glance . . . | 45 | 4 00 | 30 00 |
| 10-12 ft. | Glancing . . . | 60 | 5 00 | |
| MAGNOLIA <i>Accuminata</i> , 3-4 ft. | Gland . . . | 30 | 2 50 | 20 00 |
| 4-6 ft. | Glanders . . . | 35 | 3 00 | 25 00 |
| 6-7 ft. | Glare . . . | 50 | 4 00 | |
| — <i>Conspicua</i> , 2-3 ft. | Glaring . . . | 50 | | |
| 3-4 ft. | Glass . . . | 75 | | |
| — <i>Glauca</i> , 1½-2 ft. | Glassy . . . | 40 | | |
| 2-2½ ft. | Glaze . . . | 50 | | |
| — <i>Lennei</i> , 3-4 ft. | Glazed . . . | 80 | 7 50 | |
| 4-5 ft., with ball. | Glazier . . . | 125 | 10 00 | |
| — <i>Macropdylla</i> , 1½-2 ft. | Gleam . . . | 60 | | |
| — <i>Soulangeana</i> , 3-4 ft., own roots | Gleaming . . . | 75 | 6 50 | 60 00 |
| 4-5 ft., " | Glean . . . | 100 | 8 00 | 75 00 |
| 4-5 ft., with ball. | Gleaning . . . | 125 | 10 00 | |
| — <i>Speciosa</i> , 3-4 ft., with ball. | Glee . . . | 125 | | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|--|--|----------------------|--------|--------|---------|
| MAGNOLIA —Continued | | | | | |
| — Stellata, Halleana, 2½-3 ft. | | Glide | \$0 80 | \$7 50 | |
| 3 -4 ft., balled | | Gliding | 1 25 | 10 00 | |
| — Tripetala, 3-4 ft. | | Glimmer | 30 | | |
| 4-5 ft. | | Glimpse | 45 | | |
| — Hypoluca, 3-4 ft. | | Glisten | 50 | | |
| MORUS —Tartarica Pendula, Teas Weeping Mulberry, | | | | | |
| Medium Heads | | Glitter | 60 | 5 50 | \$50 00 |
| 1st class Heads | | Gloaming | 70 | 6 50 | 60 00 |
| Extra Heads | | Globe | 1 00 | 8 00 | 75 00 |
| Double Extra Heads | | Gloom | 1 25 | 10 00 | |
| MALUS —(See Pyrus) | | | | | |
| PETLIA Trifoliata, Hop Tree, 3-4 ft. | | Gloomy | 15 | 1 20 | |
| — — Aurea, Golden Hop Tree, 2½-3 ft. | | Glory | 15 | 1 20 | |
| 8-10 ft., 1½ in. | | Gloss | 35 | 3 50 | 30 00 |
| 9-10 ft., 1¾ in. | | Glossy | 50 | 4 50 | 40 00 |
| PLATANUS — | | | | | |
| — Orientalis, Orien. Plane, { | | Glow | 65 | | |
| 10-11 ft., 1½ in. | | Glowing | 75 | | |
| 11-12 ft., 1¾ in. | | Glue | 1 00 | | |
| 12-13 ft., 2 in. | | | | | |
| PYRUS —Bechtel's Dbl. Flg. Crab, 3-4 ft. | | Glum | 30 | 2 50 | |
| 4-5 ft. | | Go | 35 | 3 00 | |
| — Floribunda, 3-5 ft. | | Goat | 35 | 3 00 | |
| — — Aucuparia, (See Sorbus) | | | | | |
| POPULUS { | | | | | |
| 8-10 ft., 1½ in. | | Gobble | 30 | 2 50 | |
| Alba, Silver Leaf { | | Gobbler | 35 | 3 00 | |
| Poplar, { | | Goblet | 45 | 4 00 | |
| — — Canescens, Green { | | God | 55 | 5 00 | |
| Leaf Poplar, { | | Goddess | 90 | 8 50 | |
| 7-9 ft. | | Godhead | 30 | 2 50 | |
| 8-10 ft. | | Godless | 35 | 3 00 | |
| 10-12 ft. | | Godlike | 40 | | |
| — — Balsamifera, Balsam Pop., { | | Godly | 30 | 2 50 | |
| 8-10 ft., 1½ in. | | Going | 45 | 4 00 | |
| 10-12 ft., 1¾ in. | | Gold | 55 | 5 00 | |
| 12-13 ft., 2 in. | | Golden | 18 | 1 50 | 12 50 |
| — — Fastigiata, Lombardy { | | Golf | 20 | 1 80 | 15 00 |
| Poplar, Low branched { | | Gone | 25 | 2 00 | 20 00 |
| straight leaders { | | Gong | 35 | 3 00 | 25 00 |
| 8-10 ft., 1 in. | | Good | 50 | | |
| 9-11 ft., 1½ in. | | Goose | 20 | 1 75 | 15 00 |
| 10-12 ft., 1¼ in. | | Gore | 25 | 2 25 | 20 00 |
| 11-13 ft., 1½ in. | | Gorge | 30 | 2 75 | 25 00 |
| 12-13 ft., 1¾ in. | | Gorgeous | 40 | 3 50 | 35 00 |
| 13-14 ft., 2 in. | | Gospel | 55 | 5 00 | |
| 14-15 ft., 2½ in. | | Gossip | 1 00 | | |
| — — Monolifera, Carolina Pop., { | | Got | 30 | 2 50 | |
| 8-10 ft., 1¼ in. | | Gout | 40 | 3 00 | |
| 9-11 ft., 1½ in. | | Govern | 50 | 4 50 | |
| 10-12 ft., 1¾ in. | | Governess | 12 | 1 00 | |
| PRUNUS —Pissardii, Pur. Lf. Plum, 3-4 ft. | | Government | 15 | 1 20 | |
| 4-5 ft. | | Govenor | 20 | 1 50 | |
| 5-6 ft. | | | | | |
| — Triloba, (See Shrubs) | | | | | |
| QUERCUS —Alba, White Oak, 6-8 ft. | | Gown | 1 00 | | |
| 8-10 ft. | | Grab | 1 25 | | |
| — Cerris, Turkey Oak, 6-8 ft. | | Grabbing | 75 | 7 00 | |
| 8-10 ft. | | Grace | 95 | 9 00 | |
| 10-12 ft. | | Graceful | 1 00 | | |
| — Coccinea, Scarlet Oak, 6-8 ft. | | Gracious | 75 | 7 00 | |
| 8-10 ft. | | Grade | 95 | 9 00 | |
| 10-12 ft. | | Grading | 1 00 | | |
| — Palustris, Pin Oak, 6-8 ft. | | Graded | 50 | 4 50 | 40 00 |
| 8-10 ft. | | Gradual | 70 | 6 50 | 60 00 |
| 10-12 ft. | | Graduate | 95 | 8 50 | 80 00 |
| 11-13 ft. | | Graft | 1 00 | | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|---------------------------------|--------------|--------|--------|---------|
| QUERCUS —Continued | | | | | |
| — Ped. Concordia, Golden Oak , 3-4 ft. | | Grafted .. | \$0 80 | \$7 50 | |
| | 4-5 ft. | Grafting .. | 1 25 | | |
| — — Fastigiata, Pyramidal Oak, 5-7 ft. | | Grain .. | 60 | 5 00 | |
| — — — Purpurea, Purple Leaf Oak , 3-5 ft. | | Grammar .. | 1 00 | | |
| — Rubra, Red Oak , 6-8 ft. | | Grand .. | 65 | 6 00 | |
| | 8-10 ft. | Grandeur .. | 80 | 7 50 | |
| | 10-12 ft. | Grange .. | 1 00 | 9 00 | |
| RHUS —Cotinus, Purp. Mist or Fringe , 3-4 ft. | | Granite .. | 20 | 1 50 | |
| | 4-6 ft. | Grant .. | 25 | 2 00 | |
| SALISBURIA — | | | | | |
| Adiantifolia, Ginko , Maiden Hair, | 6-8 ft.. | Granulate .. | 35 | 3 00 | |
| | 8-10 ft.. | Grape .. | 50 | 4 50 | |
| | 10-12 ft.. | Graphite .. | 60 | | |
| SALIX —Babylonica, Weep. Willow | 6-8 ft.. | Grapple .. | 25 | 2 25 | \$20 00 |
| | 8-10 ft.. | Grasp .. | 35 | 3 00 | |
| | 10-12 ft.. | Grass .. | 45 | 4 00 | |
| — Caprea Pendula, Kilmarnock Weep. , 2 yr. | | Grate .. | 40 | 3 50 | |
| — Pentandra, Laurel Leaf Willow , 4-6 ft. | | Grater .. | 15 | 1 20 | 10 00 |
| | 6-8 ft.. | Gratify .. | 20 | 1 80 | 15 00 |
| | 8-10 ft.. | Gratis .. | 25 | 2 00 | 20 00 |
| | 10-12 ft.. | Gratitude .. | 30 | 2 50 | |
| — Thurlow, Weeping Willow , 6-8 ft.. | | Grave .. | 25 | 2 50 | 20 00 |
| | 8-10 ft.. | Gravel .. | 35 | 3 00 | 25 00 |
| | 10-12 ft.. | Gravity .. | 45 | 4 00 | |
| — Vitellina Aurea, Golden Bark Willow , 2-3 ft.. | | Gray .. | 15 | 1 20 | 10 00 |
| | 3-4 ft.. | Graze .. | 25 | 2 00 | 15 00 |
| SOPHORA —Japonica, 3-4 ft.. | | Grease .. | 25 | 2 00 | |
| | 4-5 ft.. | Great .. | 35 | 3 00 | |
| — Pendula, Grafted on 6-7 ft. stems. | | Greatness .. | 1 25 | | |
| SORBUS —Aucuparia, Eng. Mt. Ash , 6-8 ft.. | | Greed .. | 30 | 2 50 | 20 00 |
| | 8-10 ft.. | Grecian .. | 35 | 3 00 | 27 50 |
| | 10-12 ft.. | Greek .. | 25 | 4 00 | |
| — Pendula, Weep. Mt. Ash , on 6 ft. stems. | | Green .. | 35 | 3 00 | |
| — Quercifolia, Oak Leaf Mt. Ash , 6-8 ft.. | | Greet .. | 35 | 3 00 | 25 00 |
| | 8-10 ft.. | Greeting .. | 45 | 4 00 | |
| SYRINGA —Pendula Weeping Lilac, 5-7 ft.. | | Griddle .. | 1 00 | | |
| | 8-9 ft., 1 $\frac{1}{4}$ in.. | Grief .. | 50 | 4 50 | |
| | 9-10 ft., 1 $\frac{1}{2}$ in.. | Grin .. | 65 | 6 00 | |
| TILIA —Americana, Am. Linden | 10-11 ft., 1 $\frac{3}{4}$ in.. | Grind .. | 85 | 7 50 | |
| | 11-12 ft., 2 in.. | Grinding .. | 1 00 | | |
| | 12-13 ft., 2 $\frac{1}{2}$ in.. | Grip .. | 1 25 | | |
| | 13-14 ft., 3 in.. | Grist .. | 1 75 | | |
| — Dasystyla, 10-12 ft.. | | Grit .. | 90 | 8 50 | |
| | 8-9 ft., 1 $\frac{1}{4}$ in.. | Groan .. | 50 | | |
| — Europaea, European Linden, | 9-10 ft., 1 $\frac{1}{2}$ in.. | Grocer .. | 65 | | |
| | 10-11 ft., 1 $\frac{3}{4}$ in.. | Groom .. | 75 | | |
| | 11-12 ft., 2 in.. | Ground .. | 1 00 | | |
| | 12-13 ft., 2 $\frac{1}{2}$ in.. | Group .. | 1 25 | | |
| | 8-9 ft., 1 $\frac{1}{4}$ in.. | Grove .. | 50 | 4 50 | 40 00 |
| | 9-10 ft., 1 $\frac{1}{2}$ in.. | Grow .. | 55 | 5 50 | |
| | 10-11 ft., 1 $\frac{3}{4}$ in.. | Growl .. | 75 | 7 00 | |
| | 11-12 ft., 2 in.. | Grub .. | 1 00 | 9 50 | |
| | 12-13 ft., 2 $\frac{1}{2}$ in.. | Guard .. | 1 25 | | |
| — — Plataphylla, Europ. Large Leaved Linden , | 8-9 ft., 1 $\frac{1}{4}$ in.. | Guess .. | 65 | 6 00 | |
| | 9-10 ft., 1 $\frac{1}{2}$ in.. | Guest .. | 85 | 8 00 | |
| | 10-12 ft.. | Guide .. | 1 00 | | |
| — — Pendula, Weeping Linden , 8-10 ft.. | | Guitar .. | 75 | | |
| | 10-12 ft.. | Gulf .. | 1 00 | | |
| ULMUS —American, American Elm, | 8-10 ft., 1 $\frac{1}{4}$ in.. | Gully .. | 40 | 3 50 | 30 00 |
| — Montana, Scotch Elm, | 9-11 ft., 1 $\frac{1}{2}$ in.. | Guilty .. | 50 | 4 50 | 40 00 |
| | 10-12 ft., 1 $\frac{3}{4}$ in.. | Guinea .. | 60 | 5 50 | |
| | 11-13 ft., 2 in.. | Gun .. | 75 | 6 50 | |
| | 12-14 ft., 2 $\frac{1}{2}$ in.. | Gush .. | 1 00 | | |

| ULMUS —Continued | | Tel. Code | Each | Per 10 | Per 100 |
|---|------------|-----------|--------|---------|---------|
| — Camperdown, Weeping Elm, 1 yr. Hds. | Gutter | \$0 40 | \$3 50 | | |
| | 2 yr. Hds. | Gymnast | 50 | 4 50 | |
| VIRGILIA —(See Cladrastris) | | | | | |
| DECIDUOUS SHRUBS. | | | | | |
| ABELIA Rupestris, 1 yr. | Habit | \$0 15 | | | |
| AMORPHA —Fruticosa, False Indigo, 2-3 ft. | Habitual | 10 | 80 | | |
| 2-3 ft. | Hack | 12 | 1 00 | | |
| AMYGDALUS —Flowering Almond, Pink and White, | | | | | |
| 1 1/2-2 ft. | Hackney | 15 | 1 20 | | |
| 2-3 ft. | Had | 20 | 1 50 | | |
| ANDROMEDA Arborea, Oxydendron, 2-3 ft. | Haddock | 30 | 2 50 | \$20 00 | |
| 3-4 ft. | Haggard | 40 | 3 50 | | |
| — Marianas, 1 1/2-2 ft. | Haggle | 18 | 1 50 | | |
| 2-2 1/2 ft. | Hailed | 20 | 1 75 | | |
| ARALIA —Pentaphylla, 2-3 ft. | Hailstone | 12 | 1 00 | 8 00 | |
| 3-4 ft. | Hair | 15 | 1 20 | 10 00 | |
| — Spinosa, 3-4 ft. | Hairpin | 20 | 1 50 | | |
| 4-5 ft. | Hale | 25 | 2 00 | | |
| 6-7 ft. | Half | 30 | 2 50 | | |
| AZALEA —Arborescens, 18 in. | Halibut | 35 | 3 00 | | |
| — Calendulacea, 18 in. | Halidorn | 30 | 2 50 | | |
| — Mollis, Colors Mixed, 15-18 in. | Hall | 30 | 2 50 | 20 00 | |
| 18-24 in. | Halyard | 35 | 3 00 | 25 00 | |
| — Mollis, Colors Named, 15-18 in. | Hallier | 35 | 3 00 | 25 00 | |
| 18-24 in. | Hallow | 40 | 3 50 | 30 00 | |
| — Nudiflora, 12-15 in. | Hallowed | 25 | 2 00 | | |
| — Pontica Ghent, 15-18 in. | Halo | 30 | 2 50 | | |
| 18-24 in. | Halse | 40 | 3 50 | | |
| — Vaseyii, 12-18 in. | Halt | 40 | 3 50 | 30 00 | |
| 18-24 in. | Halted | 45 | 4 00 | | |
| — Viscosa, 12-18 in. | Halter | 40 | 3 00 | | |
| 18-24 in. | Haltering | 45 | 4 00 | 35 00 | |
| BACCHARIS —Halimifolia, 2-3 ft. | Ham | 12 | 1 00 | 8 00 | |
| BERBERIS —Darwini, 8-12 in. | Hames | 15 | | | |
| — Thunbergii, 2 yr., 12-15 in., \$12.00 per 1000. | Hand | | | 1 50 | |
| 12-15 in. bushy plants | Handcuff | | 50 | 4 00 | |
| 15-18 in. | " | | 60 | 5 00 | |
| 1 1/2-2 ft. | " | | 80 | 6 00 | |
| 2-2 1/2 ft. | " | | 100 | 8 00 | |
| 2 1/2 ft. | " | | 120 | 10 00 | |
| — Vulgaris, 1 1/2-2 ft. | Handmaid | | 150 | | |
| 2-3 ft. | Handsome | | 80 | 6 00 | |
| 3-4 ft. | Handy | | 100 | 8 00 | |
| — Purpurea, 1 1/2-2 ft. | Hang | | 150 | 10 00 | |
| 2-2 1/2 ft. | Hanging | | 80 | 6 00 | |
| 2 1/2-3 ft. | Hangman | | 120 | 10 00 | |
| — Illicifolia, (See Evergreens) | Hank | | 150 | 10 00 | |
| CALLICARPA —Purpurea, 2-2 1/2 ft. | Hanker | | 100 | 8 00 | |
| 2 1/2-3 ft. | Hapless | | 150 | 10 00 | |
| CALYCANTHUS —Floridus, 1 1/2-2 ft. | Happen | | 120 | 10 00 | |
| 2-3 ft. | Happily | | 150 | 10 50 | |
| 3-4 ft. | Happiness | | 180 | 12 00 | |
| CARAGANA —Siberian Pea Shrub, 2-3 ft. | Happy | | 120 | | |
| 3-4 ft. | Harass | | 150 | | |
| CARYOPTERIS —Mastacantha, 1 yr. in pots. | Harbor | | 50 | 3 00 | |
| 2 yr., field grown | Harboring | | 80 | 6 00 | |
| CERCIS — | | | | | |
| — Canadensis, American Judas Tree, 3-4 ft. | Hard | | 15 | 1 20 | 10 00 |
| 4-5 ft. | Harden | | 25 | 2 25 | 20 00 |
| — Japonica, Japan Judas, 1-1 1/2 ft. | Hardiness | | 18 | 1 50 | |
| 1 1/2-2 ft. | Hardly | | 20 | 1 80 | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|--|---------------------|--------------|--------|--------|---------|
| CHIONANTHUS —Vir., Wh. Fringe, | 2-3 ft. | Hardness . | \$0 20 | \$1 50 | |
| | 3-4 ft. | Hardship . | 25 | 2 00 | |
| CLETHRA —Alnifolia, | 1 1/2-2 ft. | Hardware . | 10 | 80 | |
| | 2-2 1/2 ft. | Hardy . | 12 | 1 00 | |
| | 2 1/2-3 ft. | Hark . | 15 | 1 20 | |
| COLUTEA —2-3 ft. | | Harm . | 15 | 1 25 | |
| | 3-4 ft. | Harmful . | 20 | 1 50 | |
| CORCHORUS —(See Kerria) | | | | | |
| CORNUS Alba, Red Branched Dogwd., | 2-3 ft. | Harmless . | 10 | 80 | |
| | 3-4 ft. | Harmonic . | 12 | 1 00 | |
| | 4-5 ft. | Harmonius . | 15 | 1 20 | |
| — Elegantissima Variegated | 2-3 ft. | Harmonize . | 15 | 1 25 | |
| — Sericea silky, | 18-20 in. | Harmony . | 08 | 60 | 5 00 |
| — Spathii Variegated | 1 1/2-2 ft. | Harness . | 18 | 1 50 | |
| — Stolonifera Lutea, Golden Bark, | 3-4 ft. | Harp . | 10 | 80 | |
| CORYLUS Purpurea, Purple Filbert, | 1 1/2-2 ft. | Harper . | 20 | 1 50 | |
| | 2-2 1/2 ft. | Harpoon . | 25 | 2 00 | |
| CRACTAGUS —(See Trees) | | | | | |
| CYDONIA —Japonica, Japan Quince, | 2-2 1/2 ft. | Harrow . | 10 | 80 | |
| | 2 1/2-3 ft. | Harsh . | 12 | 1 00 | 8 00 |
| | 3 -4 ft. | Harshness . | 15 | 1 20 | 10 00 |
| — — Alba, White Japan Quince, | 2-3 ft. | Harvest . | 15 | 1 20 | 10 00 |
| — — Pygmea, 1 1/2-2 ft. | | Harvesting . | 12 | 1 00 | |
| DAPHNE —Mesereum, 4-6 in. | | Hash . | 12 | 1 00 | |
| DESMODIUM —Penduliflorum, 2-3 ft. | | Haslet . | 15 | 1 20 | |
| DEUTZIA —Candidissima, { 2-3 ft. | | Hasp . | 10 | 80 | 6 00 |
| — Crenata fl. pl., { 3-4 ft. | | Hassock . | 12 | 1 00 | 8 00 |
| | 4-5 ft. | Haste . | 15 | 1 20 | 10 00 |
| — Gracilis, 15-18 in. bushy | | Hasten . | 08 | 70 | 5 00 |
| 18-24 in. bushy | | Hastily . | 10 | 90 | 7 00 |
| 2-2 1/2 ft. | | Hat . | 12 | 1 00 | 8 00 |
| — — Carminea, 18-24 in. | | Hatbox . | 12 | 1 00 | |
| — Lemonii, 1 1/2-2 ft., bushy | | Hatchet . | 10 | 80 | 6 00 |
| 2-2 1/2 ft. | | Hatch . | 12 | 1 00 | 8 00 |
| — Parvifolia, 18-24 in. | | Hate . | 10 | 80 | |
| 2-3 ft. | | Hateful . | 12 | 1 00 | |
| — Pride of Rochester, 2-3 ft. | | Hatless . | 10 | 80 | 6 00 |
| 3-4 ft. | | Hatred . | 12 | 1 00 | 8 00 |
| 4-5 ft. | | Haughty . | 15 | 1 20 | 10 00 |
| ELEAGNUS —Angustifolia, Rus. Olive, 2-3 ft. | | Haul . | 12 | 1 00 | 8 00 |
| | 3-4 ft. | Haunt . | 15 | 1 20 | |
| — Longipes, 1 1/2-2 ft. | | Haunted . | 10 | 80 | |
| 2-2 1/2 ft. | | Haunting . | 12 | 1 00 | |
| EUONYMUS —Europaeus, (See Trees) | | | | | |
| — Alatus, Japan Cork Barked, 10-12 in. | | Have . | 15 | 1 20 | |
| | 1 1/2-2 ft. | Haven . | 30 | 2 50 | |
| | 2-2 1/2 ft. | Having . | 40 | | |
| EXOCHORDIA —Grandiflora, 2-3 ft. | | Havoc . | 15 | 1 25 | |
| | 3-4 ft. | Haw . | 20 | 1 50 | |
| FORSYTHIA —Fortunei, 2-3 ft. | | Hawk . | 12 | 1 00 | 8 00 |
| | 3-4 ft. | Hay . | 15 | 1 20 | 10 00 |
| | 4-5 ft. | Hazard . | 20 | 1 50 | |
| — — Variegated Aurea, 2-3 ft. | | Haze . | 10 | 90 | 7 00 |
| | 3-4 ft. | Hazel . | 12 | 1 00 | 9 00 |
| | 4-5 ft. | Hazy . | 18 | 1 50 | 12 00 |
| — Intermedia, 2-3 ft. | | He . | 12 | 1 00 | 9 00 |
| | 3-4 ft. | Head . | 15 | 1 25 | 12 00 |
| | 4-5 ft. | Headlong . | 20 | 1 50 | |
| — Suspensa, 2-2 1/2 ft. | | Heal . | 12 | 1 00 | 8 00 |
| | 2 1/2-3 ft. | Healer . | 15 | 1 20 | 10 00 |
| | 3-4 ft. | Healing . | 20 | 1 50 | 12 00 |
| — Viridissima, 2-3 ft. | | Health . | 12 | 1 00 | 8 00 |
| | 3-4 ft. | Healthful . | 15 | 1 20 | 10 00 |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|--|------------|--------|--------|---------|
| HALESIA —(See Trees.) | | | | | |
| HIBISCUS — <i>Athea</i> , | | | | | |
| Dbl. Pink, Purple, Red and White, 2-3 ft. | 3-4 ft. | Healthy | \$0 10 | \$0 85 | \$8 00 |
| — Variegated Leaved, 1½-2 ft. | 2-2½ ft. | Heap | 15 | 1 20 | 10 00 |
| — Standard, Tree form, 4-5 ft. | 5-6 ft. | Hearing | 10 | 80 | |
| — | | Harken | 12 | 1 00 | |
| — | | Heart | 35 | | |
| HYDRANGEA — <i>Arborescens</i> , 1½-2 ft | | Hearth | 50 | | |
| — — <i>Grandiflora alba</i> , (new) 1yr., 8-10 in. | 10-18 in. | Heartless | 12 | 1 00 | |
| — — <i>Paniculata Grandiflora</i> , 2-3 ft. | 3 ft., extra | Heartfelt | 20 | 1 50 | 12 00 |
| — — — Std., Tree Form, 2 ft., stems, 1st class. | 2½ ft., stems, extra | Hearty | 30 | 2 50 | |
| — — — | | Heat | 12 | 1 00 | 8 00 |
| — — — | | Heater | 15 | 1 20 | 10 00 |
| — — — | | Heated | 20 | 1 50 | |
| — — — | | Heating | 25 | 2 25 | 20 00 |
| — — — | | Heave | 30 | 2 75 | 25 00 |
| — — — | | Heaving | 50 | 3 00 | |
| — — — | | Heavy | 12 | 1 00 | 7 00 |
| — — — | | Hebree | 15 | 1 20 | |
| HYPERICUM — <i>Densiflorum</i> , 1½-2 ft., bushy | 2-2½ ft., | Hectic | 15 | 1 20 | 10 00 |
| — — — | | Hedge | 16 | 1 50 | 12 50 |
| — — — | | Hedging | 50 | 3 00 | |
| — — — | | Heed | 10 | 80 | 6 00 |
| ILEX <i>Verticillata</i> , (Prinos), | { 1½-2 ft. | Heedful | 12 | 1 00 | |
| Black Alder, | { 2-2½ ft. | Heedless | 15 | 1 20 | |
| | { 2½-3 ft. | Heel | 20 | 1 50 | |
| ITEA — <i>Virginica</i> ., 1½-2 ft. | 2-2½ ft. | Height | 12 | 1 00 | |
| — — — | | Heiress | 15 | 1 20 | |
| JASMINUM — <i>Nudiflorum</i> , <i>Yel. Jasmine</i> , 2-3 ft. | | Held | 15 | 1 20 | 10 00 |
| KERRIA — <i>Japonica</i> , Single Flg., 1½-2 ft. | 2-2½ ft. | Heliotrope | 10 | 80 | |
| — — — | 2-2½ ft. | Helm | 12 | 1 00 | |
| — — — | Dbl. Flowering Corchorus, 2-2½ ft. | Helmet | 10 | 1 00 | |
| — — — | “ “ 2½-3 ft. | Help | 15 | 1 25 | 12 00 |
| — — — | Variegata, Dwf. Var. Lf., 12-15 in., bushy | Helper | 10 | 80 | 6 00 |
| — — — | 15-18 in., “ | Helpful | 12 | 1 00 | |
| LESPEDEZA — <i>Bicolor, Bush Clover</i> , 2-3 ft. | | Helpless | 12 | 1 00 | |
| LIGUSTRUM — <i>Amurensis</i> , 2-2½ ft. | | Hem | 08 | 60 | |
| — Ibota, 1½-2 ft. | 2-2½ ft. | Hemp | 08 | 60 | 5 00 |
| — — — | 2½-3 ft. | Hence | 09 | 70 | 6 00 |
| — — — | Regehlianianum, 1½-2 ft., bushy | Her | 10 | 80 | 7 00 |
| — — — | 2-3 ft. | Herald | 10 | 1 00 | 8 00 |
| — — — | 3-4 ft. | Herb | 12 | 1 20 | 10 00 |
| — Ovalifolium, <i>California Privet</i> — | | Heard | 15 | 1 25 | 12 00 |
| 12-18 in., well branched | | Heresy | 20 | 1 75 | 15 00 |
| 18-24 in., “ “ | | Heritage | 30 | 2 75 | 25 00 |
| 2-3 ft., “ “ | | Hermit | 40 | 3 50 | |
| 3 ft., “ “ | | Hero | 60 | 5 00 | |
| 3½ ft., “ “ | | Heroic | | | |
| 4 ft., “ “ | | Heroine | 1 00 | | |
| — — — | Standard, In Tree Form, 4-5 ft., 2 yr. | Per | no | no | no |
| | 3 yr. | Heresy | 20 | 1 75 | 15 00 |
| — — — | Aureum Elegans, Var. Privet, 12-18 in. | Heritage | 30 | 2 75 | 25 00 |
| | 18-24 in. | Hermit | 40 | 3 50 | |
| — — — | | Hero | 60 | 5 00 | |
| LONICERA — <i>Fragrantissima</i> , 1½-2 ft. | 2-3 ft. | Heroism | 40 | 3 00 | |
| — Tatarica, <i>Bush Honeysuckle</i> , Pink, White and Yellow, | { 2-2½ ft. | Herring | 50 | 4 50 | |
| | { 2½-3 ft. | Herself | 10 | | |
| — — — | 3-4 ft. | Hid | 12 | | |
| — — — | 4-5 ft. | Hidden | 12 | 1 00 | |
| — Morrowi | 4-5 ft. | Hide | 15 | 1 25 | |
| MYRICA — <i>Cerifera, Bay Berry</i> , 1½-2 ft., bushy | | Hideous | 08 | 70 | 6 00 |
| — — — | 2-2½ ft., “ | Hiding | 10 | 80 | 7 00 |
| — — — | 2½-3 ft., “ | High | 12 | 1 00 | 8 00 |
| — — — | 4-5 ft. | Hill | 15 | 1 20 | 10 00 |
| — — — | 4-5 ft. | Hillock | 13 | 1 20 | 10 00 |
| — — — | 2-2½ ft., “ | Him | 15 | 1 25 | 12 00 |
| — — — | 2½-3 ft., “ | Himself | 20 | 1 70 | 15 00 |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|------------|--------|--------|---------|
| MYRICA —Continued | | | | |
| — Gale, 1½-2 ft. | Hinder | \$0 10 | \$0 80 | \$6 00 |
| 2-2½ ft. | Hinge | 12 | 1 00 | 8 00 |
| PAVIA —Marcostachia, Dwf. Horsech., 12-18 in. | Hint | 30 | | |
| PHILADELPHUS — | | | | |
| — Coronarius, Mock Orange, Syringa, 2½-3 ft. | Hinted | 10 | 90 | 8 00 |
| 3-4 ft. | Hinting | 12 | 1 20 | 10 00 |
| 4-5 ft. | Hip | 15 | 1 25 | 12 00 |
| — — Nana, Dwarf Syringa, 1½-2 ft. | Hire | 10 | 90 | 8 00 |
| 2-2½ ft. | Hireling | 13 | 1 20 | 10 00 |
| — — Aurea, Golden Lf. Syringa, | His | 12 | 1 00 | 7 50 |
| 1½-2 ft., “ | Historic | 13 | 1 20 | 10 00 |
| 2-2½ ft., “ | History | 16 | 1 50 | 12 50 |
| — Grandiflora, Large Flowering, 2-3 ft. | Hit | 10 | 90 | 8 00 |
| 3-4 ft. | Hitch | 12 | 1 00 | 10 00 |
| 4-5 ft. | Hither | 15 | 1 25 | 12 00 |
| PRINOS —(See Ilex.) | | | | |
| PRUNUS —Pissardii, 3-4 ft. | Hitting | 12 | 1 00 | |
| 4-5 ft. | Hive | 15 | 1 20 | |
| — Triloba, Double Flg. Plum, 2-2½ ft. | Hoard | 15 | | |
| 2½-3 ft. | Hoarding | 20 | | |
| PYRUS —Japonica, (See Cydonia.) | | | | |
| — Arbutifolia, (Aronia), 2-3 ft. | Hoarse | 15 | 1 25 | 12 00 |
| 3-4 ft. | Hoarseness | 18 | 1 70 | 15 00 |
| — Floribunda, (See Trees.) | | | | |
| PTELIA —Hop Tree, (See Trees.) | | | | |
| RHODOTYPUS —Kerriodes, 1½-2 ft., bushy | Hobble | 10 | 75 | |
| 2-3 ft., “ | Hobby | 12 | 1 00 | |
| 3-4 ft., “ | Hoeing | 13 | 1 20 | |
| RHUS —Cotinus, Purp. Fringe Mist, 2-3 ft. | Hod | 12 | 1 00 | |
| 3-4 ft. | Hoe | 18 | 1 50 | |
| — Copolina, 18-24 in. | Hold | 10 | 80 | |
| — Glabra Laciniata, Cut Lf. Sumach, 15-18 in. | Holder | 12 | 1 00 | 8 00 |
| 2-2½ ft. | Holding | 20 | 1 50 | |
| — Typhina Laciniata, Cut Lf. Sumach, 2-3 ft. | Holiday | 16 | 1 50 | |
| 3-4 ft. | Holiness | 20 | | |
| RIBES —Aureum, Yel. Fl. Currant, 2-3 ft. | Hollow | 12 | 1 00 | |
| ROBINIA —Hispida, Rose Accaia, 2-3 ft. | Holly | 20 | 1 50 | |
| ROSA —Multiflora Jap., 2-2½ ft., bushy | Holy | 08 | 70 | 6 00 |
| 2½-3 ft., “ | Homage | 10 | 90 | 8 00 |
| 3-4 ft., “ | Home | 12 | 1 10 | 10 00 |
| — Rubiginosa, Sweet Briar, 2-3 ft., bushy | Homeless | 10 | 80 | |
| 3-4 ft., “ | Homelike | 12 | | |
| — Rubrifolia, 18-24 in. | Homely | 12 | 1 00 | |
| — Rugosa Red, 1½-2 ft., bushy | Homesick | 10 | 90 | 8 00 |
| 2-3 ft., “ | Homespun | 12 | 1 00 | 10 00 |
| 3-4 ft., “ | Homestead | 15 | 1 25 | 12 00 |
| — — Alba, White, 1½-2 ft. | Homeward | 15 | 1 20 | 10 00 |
| 2-2½ ft. | Homicide | 18 | 1 50 | 12 00 |
| — Setigera, 1½-2 ft., bushy | Hominy | 12 | 1 00 | |
| 2½-3 ft., “ | Honest | 15 | 1 20 | |
| — Wichuriana, 2-3 ft. | Honesty | 10 | 80 | 6 00 |
| 3-4 ft. | Honey | 12 | 1 00 | 8 00 |
| SAMBUCUS —Nigra Aurea, Gld. Elder, 2-2½ ft. | Honor | 10 | 90 | 8 00 |
| 2½-3 ft. | Honorary | 12 | 1 10 | 10 00 |
| 3-4 ft. | Hood | 15 | 1 25 | 12 00 |
| SPIREA —A. Waterer, 15-18 in., bushy | Hoodwink | 10 | 80 | 6 00 |
| 18-24 in., “ | Hoof | 12 | 1 00 | 8 00 |
| 2-3 ft., “ | Hook | 15 | 1 20 | 10 00 |
| — Arguta, 1½-2 ft., bushy | Hooking | 10 | 80 | |
| 2-2½ ft., “ | Hoop | 12 | 1 00 | |
| — Billardi, 2-3 ft. | Hoot | 10 | 90 | 8 00 |
| 3-4 ft. | Hop | 12 | 1 00 | 9 00 |

SPIREA—Continued

| | Tel. Code | Each | Per 10 | Per 100 |
|---|---------------------|--------|--------|---------|
| — Bumaldi, 1½-2 ft., bushy | Hope | \$0 10 | \$0 80 | \$7 00 |
| 2-2½ ft., " | Hopeful | 12 | 1 00 | 9 00 |
| — Collosa Alba, 1½-2 ft., bushy | Hopeless | 12 | 1 00 | |
| 2-2½ ft., " | Hoping | 15 | 1 20 | |
| — Crispifolia, 8-12 in. | Hopping | 15 | | |
| — Opulifolia Aurea, Golden, 2-3 ft. | Horizon | 10 | 90 | 8 00 |
| 3-4 ft. | Horn | 12 | 1 10 | 10 00 |
| 4-5 ft. | Hornet | 15 | 1 25 | 12 00 |
| — Prunifolia, 2-2½ ft. | Hornpipe | 12 | 1 00 | |
| 2½-3 ft. | Horrible | 15 | 1 20 | |
| — Rotundifolia, 2-2½ ft. | Horrid | 12 | 1 00 | 9 00 |
| 2½-3 ft. | Horrify | 15 | 1 20 | 10 00 |
| — Reevesii, 2-2½ ft. | Horror | 10 | 80 | 7 00 |
| 2½-3 ft. | Horses | 12 | 1 20 | 10 00 |
| — Sorbifolia, 2-3 ft. | Horseshoe | 12 | 1 00 | |
| 3-4 ft. | Horsewhip | 15 | 1 20 | |
| — Thunbergii, 1½-2 ft., bushy | Hosanna | 12 | 1 00 | 8 00 |
| 2-2½ ft., " | Hose | 15 | 1 20 | 10 00 |
| — Tomentosum, 3-4 ft. | Hosiery | 18 | 1 50 | |
| 4-5 ft. | Hospital | 10 | 80 | |
| — Van Houtti, 2-2½ ft. | Host | 12 | 1 00 | |
| 2½-3 ft. | Hostess | 08 | 60 | 5 00 |
| 3-4 ft. | Hostile | 10 | 80 | 7 00 |
| 4-5 ft. | Hostler | 12 | 1 00 | 9 00 |
| — STEPHANANDRA—Flxsa, 2-2½ ft., bushy | Hot | 15 | 1 20 | |
| 2½-3 ft., " | Hotel | 12 | 1 00 | 9 00 |
| 3-4 ft., " | Hound | 15 | 1 25 | 12 00 |
| | Hour | 17 | 1 50 | |

SYMPHORICARPUS—Racemosus,

| | | | | |
|---|---------------------|----|------|-------|
| — White Snowberry, { 1½-2 ft. | House | 10 | 80 | |
| 2-2½ ft. | Household | 12 | 1 00 | 8 00 |
| 2½-3 ft. | Houseless | 15 | 1 20 | |
| — Vulgaris, Red, Indian Currant, 1½-2 ft. | Housewife | 08 | 75 | 6 00 |
| 2-3 ft. | Hovel | 10 | 90 | 8 00 |
| 3-4 ft. | How | 13 | 1 20 | 10 00 |

— Variegated Leaved, 12-18 in.

| | | | | |
|---|-------------------|----|------|--|
| — SYRINGA—Japonica, Japan Tree Lilac, 2-3 ft. | However | 15 | | |
| 3-4 ft. | Howl | 15 | 1 50 | |
| 4-5 ft. | Howling | 20 | 1 80 | |
| | Hub | 25 | | |

| | | | | |
|--|---------------------|----|------|-------|
| — Josikea, Violet, 2-2½ ft. | Huck | 12 | | |
| 2½-3 ft. | Huckster | 15 | | |
| — Persica, White, 2-3 ft. | Huddle | 17 | 1 50 | |
| 3-4 ft. | Huddling | 22 | 2 00 | |
| — Rothomagensis, Red Persian, 2½-3 ft. | Hue | 17 | 1 50 | |
| — Saugeana, Red, 2-3 ft. | Huffy | 12 | 1 00 | |
| 3-4 ft. | Hug | 15 | 1 20 | |
| — Villosa, Pink, 2-3 ft. | Huge | 12 | 1 00 | |
| 3-4 ft. | Hull | 15 | 1 20 | |
| — Vulgaris, Common Purple Lilac, 2-3 ft. | Hum | 10 | 90 | 8 00 |
| 3-4 ft. | Human | 13 | 1 20 | 10 00 |
| 4-5 ft. | Humanity | 18 | 1 50 | 12 00 |
| — Alba, Common White Lilac, 2-3 ft. | Humble | 10 | 90 | 8 00 |
| 3-4 ft. | Humbug | 13 | 1 20 | 10 00 |
| 4-5 ft. | Humdrum | 18 | 1 50 | 12 00 |
| — Chas. roth, Reddish Purple, 1½-2 ft. | Humid | 17 | 1 50 | |
| 2-3 ft. | Humiliate | 22 | 2 00 | |
| — Marie LeGraye, Dwarf White, 1½-2 ft. | Humidity | 17 | 1 50 | |
| 2-3 ft. | Humility | 22 | 2 00 | |
| — Rubra d'Marley, Light Blue, 2-3 ft. | Humor | 17 | 1 50 | |
| 3-4 ft. | Humorist | 22 | 2 00 | |
| — Souv. d'LeSpäth, 1½-2 ft. | Humorous | 17 | 1 50 | |
| 2-2½ ft. | Hundred | 22 | 2 00 | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|--|-----------------|----------------------|--------|--------|---------|
| TAMARIX — <i>Africana</i> , 2-3 ft. | 3-4 ft. | Hung | \$0 08 | \$0 70 | \$6 00 |
| — <i>Gallica</i> , { 2-2½ ft. | 3-4 ft. | Hunger | 10 | 80 | |
| — <i>Indica</i> , { 2½-3 ft. | | Hungry | 12 | | |
| — <i>Japonica</i> , { 3-4 ft. | | Hunt | 15 | | |
| VIBURNUM — <i>Cassinoides</i> , 2-3 ft. | 3-4 ft. | Hunter | 20 | | |
| — <i>Dentatum</i> , { 2-2½ ft., bushy | " | Hunting | 22 | 2 00 | |
| — <i>Molle</i> , { 2½-3 ft., " | | Hunted | 25 | 2 20 | |
| — <i>Lantana</i> , 2-3 ft. | 3-4 ft. | Huntsman | 10 | 90 | 8 00 |
| | 4-5 ft. | Hurdle | 12 | 1 10 | 10 00 |
| — <i>Lentago</i> , 2-3 ft. | 3-4 ft. | Hurl | 15 | 1 25 | 12 00 |
| | 4-5 ft. | Hurrah | 18 | 1 50 | 12 50 |
| — <i>Opulis, Highbush Cranby</i> , 18-24 in. | 2-2½ ft., bushy | Hurried | 12 | 1 10 | 10 00 |
| | 2½-3 ft., " | Hurry | 18 | 1 75 | 15 00 |
| | 3-4 ft. | Hurt | 20 | 1 80 | 17 50 |
| — <i>Sterilis, Common Snowball</i> , 1½-2 ft. | | Hurtful | 17 | 1 50 | |
| | 2-3 ft. | Husband | 20 | | |
| | 3-4 ft. | Hush | 10 | 80 | |
| — <i>Nana, Dwf. Snowball</i> , 8-12 in., bushy | 10-15 in., " | Husk | 12 | 1 00 | |
| — <i>Plicatum, Japan Snowball</i> , 2-2½ ft. | | Huskiness | 15 | 1 20 | |
| | 2½-3 ft. | Husking | 17 | 1 50 | |
| | 3-4 ft. | Hustle | 80 | 70 | 6 00 |
| | 4-5 ft. | Hustling | 10 | 90 | 8 00 |
| — <i>Standard, In Tree Form</i> , 2-3 ft., stems | | Hut | 12 | 1 00 | 9 00 |
| — <i>Prunifolium, Black Haw</i> , 1½-2 ft. | 2-2½ ft. | Hyacinth | 15 | 1 25 | 12 00 |
| — <i>Tomentosum</i> , 2-2½ ft., bushy | | Hybrid | 12 | 1 00 | 9 00 |
| | 2½-3 ft., " | Hydrant | 15 | 1 20 | 10 00 |
| | 3-4 ft., " | Hydraulic | 12 | 1 10 | 10 00 |
| | 4-5 ft., " | Hydrogen | 18 | 1 70 | 15 00 |
| — <i>VITEX Agnus Castus, Blue</i> , 1½-2 ft. | 2-3 ft. | Hymn | 20 | 1 80 | 17 50 |
| | | Hyphen | 25 | 2 00 | |
| — <i>WEIGELA Amabilis</i> , 1½-2 ft. | 2½-3 ft. | Hypnotic | 35 | 3 00 | |
| | | Hypocrisy | 12 | | |
| — <i>Candida, white</i> , 2-3 ft. | 2-2½ ft. | Hypocrite | 15 | | |
| | 3-4 ft. | Handful | 12 | 1 00 | |
| | 4-5 ft. | Hank | 15 | 1 20 | |
| — <i>Eva Rathka</i> , 1½-2 ft. | 2-3 ft. | Hanker | 17 | 1 50 | |
| | 3-4 ft. | Hastiness | 20 | 1 75 | |
| — <i>Lutea</i> , 1½-2 ft. | | Hatter | 10 | 80 | |
| — <i>Lavelli</i> , 1½-2 ft. | | Hauling | 12 | 1 00 | |
| — <i>Nana Variegata</i> , 1½-2 ft. | 2-2½ ft. | Hazardous | 10 | 80 | |
| | 2½-3 ft. | Headstrong | 15 | 1 20 | |
| — <i>Rosea</i> , 1½-2 ft. | 2-2½ ft. | Heartsick | 12 | 1 00 | |
| | 2½-3 ft. | Husky | 15 | 1 20 | |
| — <i>Carriere (Rose)</i> , 2-3 ft. | | Hustled | 18 | 1 50 | |
| XANTHORHIZA <i>Apifolia</i> , 12-18 in. | | Heathen | 12 | 1 00 | |
| XANTHOCERAS <i>Sorbifolia</i> , 1½-2 ft. | 2-3 ft. | Heath | 15 | 1 25 | 12 00 |
| | | Helpmate | 18 | | |
| | | Hen | 12 | | |
| | | Herdsmen | 15 | | |
| | | Hereafter | 10 | 80 | |
| | | Hickory | 12 | 1 00 | |
| | | Hilltop | 15 | | |
| | | Historian | 10 | 80 | |
| | | Hoiden | 12 | 1 00 | |
| | | Honorless | 15 | 1 20 | |
| | | Hostility | 12 | 1 00 | |
| | | Hurricane | 12 | 1 00 | |
| | | Halting | 18 | 1 50 | 12 00 |
| | | Hankering | 20 | 1 80 | 15 00 |

CLIMBING VINES.

| | Tel. Code | Each | Per 10 | Per 100 |
|--|--------------------|-------|---------|---------|
| AKEBIA Quinata, 3 yr. | Ice | \$ 12 | \$ 1 00 | |
| AMPELOPSIS Veitchii, Japan Ivy, 2 yr. in pots | Icicle | 08 | 70 | \$ 5 00 |
| — Field Grown, 2 yr., 1st class | Idea | 09 | 75 | 6 00 |
| — Field grown, 3 yr. | Ideal | 12 | 1 00 | 8 50 |
| — Field grown, 3 yr., selected XX | Idealize | 15 | 1 20 | 10 00 |
| — Quinquefolia, Virg. Creeper, 2 yr. 1st class | Identity | 08 | 60 | |
| 3 yr. extra | Idiot | 10 | 80 | |
| ARISTOLOCHIO Siphon, Dutchman's Pipe, 2-3 ft. | Idle | 20 | 1 75 | 15 00 |
| 3-4 ft. | Idleness | 25 | 2 00 | 18 00 |
| BIGNONIA Grandiflora, Chinese Trumpet Vine, 2-3 ft. | Ignite | 12 | 1 00 | |
| — Radicans, Common Trumpet Vine, 2-3 ft. | Ignore | 10 | 70 | 5 00 |
| CELASTRUS Scandins, Jap. Staff Vine, 2-3 ft. | Ill. | 10 | 70 | |
| CLEMATIS —Large Flow. Kinds, 3 yrs., X | Illness | 25 | 2 00 | 18 00 |
| — paniculata, 2 yr., in pots, fine | Illusion | 10 | 80 | 7 50 |
| 2 yr., field grown | Image | 15 | 1 20 | 10 00 |
| 3 yr., " | Imagine | 20 | 1 50 | |
| EUONYMUS —(See Evergreens) | | | | |
| HEDERA Helix, English Ivy, 1 yr. in pots | Immense | 07 | 50 | 3 00 |
| 2 yr. field | Implore | 10 | 80 | 6 00 |
| JASMINUM —(See Shrubs) | | | | |
| LONICERA — | | | | |
| — Brachypoda, Evergreen Honeysuckle, 2 yr. | Import | 08 | 70 | |
| — Aurea, Golden Honeysuckle, 2 yr. | Impose | 08 | 70 | |
| — Halleana, Hall's Jap. Honeysuckle, 2 yrs. | Impress | 08 | 60 | 5 00 |
| 3 yrs. | Impulse | 10 | 80 | 6 00 |
| — Punicea, Trumpet Honeysuckle, 2 & 3 yrs. | In | 10 | 80 | |
| — Sempervirens, 2 yrs. | Incense | 08 | 60 | |
| LYCIUM Barbarum, Matrimony Vine, 2 yrs. | Inch | 10 | 80 | |
| WISTARIA Frutescens, 2-3 ft. | Incline | 15 | 1 20 | 10 00 |
| — Multijuga, 2-3 ft. | Indian | 15 | 1 20 | 10 00 |
| — Sinensis, Chinese, 3-4 ft. | Index | 15 | 1 25 | |
| — Alba, Chinese White, 2-3 ft. | Induce | 25 | | |

EVERGREENS.

| | | Each | Per 10 | Per 100 |
|---|--------------------|--------|--------|---------|
| ABIES Balsamea, Balsam Fir, 3-4 ft. | Label | \$0 25 | \$2 00 | |
| — Concolor. Col. Silver Fir, 1½ ft. | Labor | 50 | 4 00 | |
| 2 ft. | Laborer | 75 | | |
| — Fraserii, Fraser's Balsam Fir, 1½-2 ft. | Lack | 20 | 1 75 | \$15 00 |
| 2-3 ft. | Lace | 30 | 2 75 | 25 00 |
| 3-4 ft. | Lacerate | 35 | 3 00 | |
| 4-5 ft. | Lacing | 50 | | |
| — Nobilis Glauca, 12-15 in. | Lad | 45 | 3 50 | |
| — Nordmaniana, Nordman Fir, 15-18 in. | Ladanum | 25 | 2 00 | 15 00 |
| 1½-2 ft. | Ladder | 40 | 3 50 | 30 00 |
| 2-3 ft. | Laddie | 50 | 4 50 | |
| 3-4 ft. | Lading | 75 | | |
| — Pectinata, English Silver Fir, 2-3 ft. | Ladle | 30 | 2 50 | |
| — Pendula, Weeping Silver Fir, 3-4 ft. | Lady | 1 00 | | |
| — Pinsapo, 2½-3 ft. | Lag | 60 | 5 00 | |
| — Subalpina, 1½ ft. | Lagging | 35 | | |
| ANDROMEDA —Catesbaei, (Leucothoe,) 12-18 in. | Laid | 30 | 2 50 | |
| — Floribunda, 12-18 in. | Lake | 75 | 7 00 | |
| — Japonica, Jap. Lily of Valley Tree, 12-18 in. | Lamb | 65 | 6 00 | 50 00 |
| AZALEA Amœna, 8-12 in. bushy | Lame | 25 | 2 00 | 15 00 |
| 12-15 in. | LaMeness | 35 | 3 00 | 25 00 |
| — Hinodigiri, 6-8 in. | Lament | 30 | 2 50 | |
| 8-12 in. | Lamented | 40 | 3 50 | |
| 12-15 in. | Lamp | 50 | | |

| | Tel. Code | Each | Per 10 | Per 100 | |
|---|--|---------------------|--------|---------|-------|
| BERBERIS Ilicifolia, Holly Leaved, $1\frac{1}{2}$ - 2 ft. | Lance | \$0 15 | \$1 20 | | |
| | 2 $\frac{1}{2}$ - 3 ft., bushy | Lancer | 18 | 1 50 | |
| BIOTA — Oriental Arbor Vitae , 2 - 3 ft. | Land | 35 | 3 00 | | |
| | 3-4 ft. | Landed | 50 | 4 50 | |
| — Aurea , Golden Chinese, $1\frac{1}{2}$ - 2 ft. | Landing | 35 | 3 00 | | |
| — Campacta , Chinese Compact, 12 - 18 in. | Landlord | 30 | 2 50 | 20 00 | |
| | 18-24 in. | Landman | 50 | 4 50 | |
| | 2-3 ft. | Landscape | 60 | 5 00 | |
| — Elegantissima Rollinsons, Golden , $1\frac{1}{2}$ - 2 ft. | Landslide | 30 | 2 50 | 20 00 | |
| | 2-2 $\frac{1}{2}$ ft. | Lane | 40 | 3 50 | |
| | 2 $\frac{1}{2}$ - 3 ft. | Language | 50 | | |
| — Nana Aurea , (Berkman), | 8-12 in. | Languid | 25 | 2 00 | |
| — Semper Aurea , Ever Golden | 12-15 in. | Languish | 35 | 3 00 | |
| | 15-18 in. | Languor | 50 | 4 00 | |
| BUXUS — Arborescens TreeBox , Bush Form, 8 - 12 in. | Lantern | 15 | 1 25 | 10 00 | |
| | 12-15 in. | Lap | 20 | 1 75 | 15 00 |
| | 15-18 in. | Lapse | 25 | 2 00 | |
| | 2-3 ft. | Larceny | 1 25 | | |
| — — Pyramids, 3 ft., sheared | Larch | 1 25 | | | |
| | 4 ft. | Lard | 1 75 | | |
| — — Stands, 2 - $2\frac{1}{2}$ ft. stems, sheared heads | Larder | 1 25 | | | |
| | 2 $\frac{1}{2}$ - 3 ft. | Large | 1 60 | 15 00 | |
| — Suffruticosa Dwarf Edg., { 3-4 in. \$20.00 per 1000 | Largely | 30 | 2 50 | | |
| | { 4-5 in. \$30.00 per 1000 | Lark | 40 | 3 50 | |
| | { 5-6 in. \$40.00 per 1000 | Lash | 50 | 4 50 | |
| CEDRUS Atlantica Glauca, 2 - $2\frac{1}{2}$ ft. | Lashing | 50 | 4 00 | | |
| | 2 $\frac{1}{2}$ - 3 ft. | Lass | 60 | 5 00 | |
| COTONEASTER Microphylla, $1\frac{1}{2}$ ft. | Lassitude | 15 | 1 00 | | |
| CRATAEGUS Pyracantha, $1\frac{1}{2}$ - 2 ft. | Lasso | 20 | 1 80 | 15 00 | |
| | 2-2 $\frac{1}{2}$ ft. | Last | 25 | 2 25 | 20 00 |
| | 2 $\frac{1}{2}$ - 3 ft. | Lasting | 30 | 2 50 | |
| CUPRESSUS Lawsoniana, 2 - 3 ft. | Lastly | 35 | | | |
| | 3-4 ft. | Latch | 60 | | |
| EUONYMUS Japonicus, { 1-1 $\frac{1}{2}$ ft., bushy | Latchkey | 12 | 1 00 | 7 50 | |
| | { 1 $\frac{1}{2}$ - 2 ft., " | Late | 15 | 1 25 | 10 00 |
| — Radicans, { 12-15 in. bushy | Lately | 08 | 60 | 4 00 | |
| | { 18-24 in. " \$50.00 per 1000 | Lateness | 10 | 80 | 6 00 |
| ILEX Crenata, Japan Holly , 15 - 18 in. | Later | 15 | 1 20 | 10 00 | |
| | 18-24 in. | Lath | 30 | 2 75 | 20 00 |
| | 2-2 $\frac{1}{2}$ ft. | Lathe | 50 | 4 50 | |
| — Opaca, America Holly , $1\frac{1}{2}$ - 2 ft. | Lather | 60 | 5 00 | | |
| | 2-3 ft. | Latin | 75 | 6 00 | |
| JUNIPERUS Communis Aurea, { 8-12 in. across | Latitude | 15 | 1 25 | 10 00 | |
| | { 12-15 in. " | Lattice | 20 | 1 50 | 12 50 |
| | { 18-24 in. " | Land | 40 | 3 50 | |
| — — Pyramidalis, 3-4 ft. | Laugh | 30 | 2 50 | | |
| | 4-5 ft. | Laughter | 50 | 4 00 | |
| — — Prostrata, 12 - 15 in. | Launch | 20 | 1 50 | 12 50 | |
| — Hibernica, Irish Juniper , 15 - 18 in. | Launching | 10 | 80 | 6 00 | |
| | 2 ft. | Laundry | 20 | 1 50 | |
| | 2 $\frac{1}{2}$ ft. sheared | Laurel | 25 | 2 00 | |
| | 3 ft. | Lava | 35 | 3 00 | |
| — Japonica , Japan Juniper , $1\frac{1}{2}$ - 2 ft. bushy | Lavender | 35 | 2 50 | | |
| | 2-2 $\frac{1}{2}$ ft. | Lavish | 40 | 3 50 | |
| — — Aurea , Japan Golden Juniper , 1 - $1\frac{1}{2}$ ft. | Lavishly | 40 | 3 50 | | |
| | 1 $\frac{1}{2}$ - 2 ft. | Law | 60 | 5 50 | |
| | 2-2 $\frac{1}{2}$ ft. | Lawful | 80 | 7 50 | |
| — — Variegata, Japan Var. Juniper , $1\frac{1}{2}$ - 2 ft. | Lawless | 75 | | | |
| Sabina , 12 - 15 in. | Lawn | 15 | 1 20 | 10 00 | |
| " 15-18 in. | Lawsuit | 25 | 2 00 | 17 50 | |
| " 18-24 in. | Lawyer | 30 | 2 50 | | |
| — — Variegata, 8 - 12 in. | Lay | 25 | 2 00 | | |
| 12 - 15 in. | Layer | 35 | | | |

| JUNIPERUS —Continued | Tel. Code | Each | Per 10 | Per 100 | |
|--|--------------|-------------|--------|---------|-------|
| — Sinensis, Chinese Juniper , 3-4 ft. | Laziness .. | \$1 00 | \$8 50 | | |
| — Stricta, 6-8 in., bushy | Lazy .. | 15 | 1 25 | \$10 00 | |
| 8-12 in., " | Lead .. | 25 | 2 00 | | |
| 12-15 in., " | Leader .. | 35 | 3 00 | | |
| — Suecica, Sweedish Juniper , 1½-2 ft. | Leading .. | 20 | 1 75 | 15 00 | |
| 2-2½ ft., sheared | Leaf .. | 25 | 2 00 | | |
| — Tamariscifolia, Prostrata, 8-10 in. | Leaflet .. | 18 | 1 50 | 12 00 | |
| 10-12 in. | Leafy .. | 25 | 2 00 | | |
| — Virginiana, Red Cedar , 1½-2 ft. | League .. | 12 | 1 00 | 9 00 | |
| 2-3 ft. | Leak .. | 30 | 2 50 | 20 00 | |
| 3-3½ ft. sheared | Leakage .. | 40 | 3 00 | | |
| 4 ft. " | Leaking .. | 60 | 5 00 | | |
| — — Glauca, Blue Cedar , { 1½-2 ft., grafted | Leaky .. | 40 | 3 50 | | |
| { 2½-3 ft. | Lean .. | 1 00 | | | |
| — — Elegantissima, 1½-2 ft. | Leap .. | 35 | 3 00 | | |
| 2½-3 ft. | Leaping .. | 60 | 5 00 | | |
| — — Pendula, Weeping Juniper , 12-15 in. | Learn .. | 40 | 3 50 | | |
| 1½-2 ft. | Learning .. | 60 | | | |
| KALMIA Latifolia, Mountain Laurel , { 15-18 in. | Lease .. | 40 | 3 50 | 30 00 | |
| (Nursery grown) | { 18-24 in. | Least .. | 50 | 4 50 | |
| | { 2-3 ft. | Leather .. | 60 | 5 00 | |
| LAURUS —Shipkaensis, Hardy Bay , 12-18 in. | Leave .. | 40 | 3 50 | | |
| MAHONIA Aquifolia, Holly Lvd. Ashberry , 1½-2 ft | Leaven .. | 15 | 1 20 | 10 00 | |
| | 2-2½ ft. | Leaving .. | 20 | 1 75 | 15 00 |
| — Japonica, 10-15 in. | Lecture .. | 15 | 1 20 | | |
| 15-18 in. | Lecturer .. | 20 | 1 50 | | |
| PICEA —Alba, White Spruce , 1½-2 ft. | Ledge .. | 25 | 2 00 | 15 00 | |
| | 2-2½ ft. | Ledger .. | 30 | 2 50 | 20 00 |
| | 2½-3 ft. | Left .. | 35 | 3 00 | 25 00 |
| | 3-4 ft. | Legacy .. | 50 | 4 00 | 35 00 |
| | 4-5 ft. | Legal .. | 75 | | |
| — Alcockiana, 2 ft. | Legally .. | 65 | | | |
| — Douglassi, (Pseudotsuga,) 1½-2 ft. | Legion .. | 35 | 3 00 | 25 00 | |
| | 2-3 ft. | Leisure .. | 45 | 4 00 | |
| | 3-4 ft. | Lemon .. | 55 | 5 00 | |
| — Englemani, 1½-2 ft. | Lend .. | 50 | 4 50 | | |
| — Excelsa, Norway Spruce , 2-2½ ft., bushy | Lending .. | 30 | 2 50 | 20 00 | |
| | 2½-3 ft., " | Length .. | 35 | 3 00 | 25 00 |
| | 3-4 ft., " | Lengthen .. | 40 | 3 50 | 30 00 |
| | 4-5 ft., " | Lengthy .. | 75 | | |
| — — Aurea, Golden Spruce , 12-15 in. | Leniency .. | 40 | | | |
| — — Conica, 12-15 in. | Lenient .. | 30 | 2 50 | | |
| 2½-3 ft. | Lent .. | 1 00 | | | |
| — — Gregoriana Dwarf, 8-10 in. | Lentil .. | 40 | 3 50 | | |
| — — Inverta, Weeping Spruce , 2-3 ft. | Leopard .. | 40 | 3 50 | | |
| | 3-4 ft. | Leper .. | 75 | 6 00 | |
| — — Pumila, Dwarf, 10-12 in. | Less .. | 40 | 3 50 | | |
| — — Pygmaea, Dwarf, 12-15 in. | Lesson .. | 50 | 4 00 | | |
| — — Pyramidal, 4-5 ft. | Let .. | 55 | 5 00 | | |
| — — Procumbens, Dwarf, 12-15 in. | Letter .. | 40 | 3 50 | | |
| | 15-18 in. | Letting .. | 55 | 5 00 | 40 00 |
| — — Nigra Doumetti, 12-18 in. | Lettuce .. | 35 | 3 00 | | |
| — — Orientalis, 12-15 in., bushy | Level .. | 30 | 2 50 | | |
| 18 in., " | Leveling .. | 45 | 4 00 | 35 00 | |
| 24 in., " | Lever .. | 50 | | | |
| — — Polita, 12-18 in. | Levity .. | 40 | | | |
| 18-24 in. | Levy .. | 50 | | | |
| — — Parryana Glauca, 2 ft. | Liable .. | 1 00 | | | |
| — — Pungens, Colorado Spruce , 1½-2 ft. | Liability .. | 35 | 3 00 | | |
| | 2-2½ ft. | Libel .. | 50 | 4 00 | |
| — — Koster's Blue, Grafted, 1½ ft. | Liberal .. | 1 25 | 10 00 | | |
| 2 ft. | Liberate .. | 2 00 | 17 50 | | |

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-----------|------|--------|---------|
| PICEA —Continued | | | | |
| — Koster's Blue Grafted, 2½ ft. | Liberty | \$2 | 75 | \$25 00 |
| 3 ft. | License | 3 | 25 | |
| PINUS — <i>Austriaca</i> , Austrian Pine , 2½-3 ft. | Lick | 30 | 2 50 | |
| 3-4 ft. | Licorice | 50 | 4 00 | |
| 4-5 ft. | Lid | 80 | | |
| — Cembra, Swiss Stone Pine , 1½-2 ft. | Lie | 35 | 3 00 | |
| 2-2½ ft. | Life | 50 | 4 50 | |
| — Excelsa, Bothan Pine , 2-2½ ft. | Lifeless | 25 | 2 00 | |
| 2½-3 ft. | Lifelike | 35 | 3 00 | \$25 00 |
| 3-4 ft. | Lifetime | 50 | 4 50 | 40 00 |
| — Mugho, Dwf. Mt. Pine , 12-18 in., across | Lift | 35 | 3 00 | |
| 18-24 in., " | Lifelong | 45 | 4 50 | |
| — Parviflora Glauca, 1½ ft. | Ligament | 40 | | |
| — Ponderosa, 12-18 in. | Light | 15 | 1 25 | |
| — Strobus, White Pine , 2-2½ ft. | Lighten | 25 | 2 00 | |
| 2½-3 ft. | Lighting | 35 | 3 00 | |
| 3-4 ft. | Lightly | 45 | 4 00 | |
| — — Nana, Dwf. Wh. Pine , 15-18 in., across | Like | 40 | 3 50 | 30 00 |
| 18-24 in., " | Likely | 50 | 4 50 | 40 00 |
| — Sylvvestris, Scotch Pine , 2½-3 ft. | Likeness | 30 | 2 50 | |
| 3-4 ft. | Likewise | 50 | 4 00 | |
| 4-5 ft. | Liking | 80 | 7 50 | |
| 5-6 ft. | Limb | 1 | 00 | |
| RETINOSPORA — | | | | |
| — Erecoides, 12-15 in., extra bushy | Limber | 15 | 1 25 | 10 00 |
| 15-18 in., " " | Lime | 25 | 2 00 | |
| 18-24 in., " " | Limit | 30 | 2 50 | |
| — Filifera, 12-15 in. | Limited | 25 | 2 00 | 17 50 |
| 1½-2 ft. | Limp | 50 | 4 00 | 35 00 |
| 3 ft. | Line | 1 | 25 | 10 00 |
| — — Aurea, 8-12 in., bushy | Lineage | 30 | 2 50 | |
| 12-15 in., " | Lineal | 40 | 3 50 | |
| 15-18 in., " | Linen | 60 | | |
| — Leptoclada, 2-2½ ft. | Linger | 75 | | |
| — Lycopodioides, Club Moss, 12-18 in. | Lingering | 40 | | |
| — Obtusa, 2-2½ ft. | Lingo | 50 | | |
| 2½-3 ft. | Linguist | 60 | | |
| — — Compacta, { 12-15 in., bushy | Liniment | 20 | 1 50 | 12 00 |
| { 15-18 in., " | Lining | 30 | 2 50 | |
| { 18-24 in., " | Link | 40 | 3 50 | 30 00 |
| — — Gracilis, 1½-2 ft. | Linnet | 60 | 5 00 | |
| 2-3 ft. | Linseed | 75 | | |
| — — — Aurea, 15-18 in. | Lint | 50 | 4 00 | |
| — — — Nana, Dwarf, | Lion | 40 | 3 50 | 30 00 |
| — — — Aurea, Dwarf Golden, | Lioness | 45 | 4 00 | |
| 15-18 in. | Lip | 50 | | |
| — Pisifera—12-15 in. | Liquid | 20 | 1 50 | 12 00 |
| — — Aurea, 12-15 in. | Liquidate | 20 | 1 80 | 15 00 |
| 1½-2 ft. | Liquor | 30 | 2 50 | |
| 2-3 ft. | Lisp | 40 | | |
| 4-5 ft., specimens | List | 1 | 50 | |
| — Plumosa, 12-15 in. | Listed | 12 | 1 00 | 9 00 |
| 3-4 ft., specimens | Listen | 1 | 00 | |
| 4-5 ft., " | Listless | 1 | 50 | |
| 5-6 ft., " | Litany | 2 | 00 | |
| — — Argentea, 12-18 in. | Literal | 25 | 2 00 | |
| 18-24 in. | Lithe | 40 | 3 50 | |
| — — Aurea, 12-18 in. | Litter | 12 | 1 00 | 9 00 |
| 1½-2 ft. | Littered | 30 | 2 50 | |
| 2-2½ ft., sheared | Littering | 50 | | |
| 3-4 ft., specimens | Little | 1 | 00 | |
| 4-5 ft., " | Liturgy | 1 | 50 | |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|-------|-----------------|--------|--------|---------|
| RETINOSPORA —Continued | | | | | |
| — Lutescens, 8-15 in. | | Live | \$0 25 | \$2 00 | |
| 15-18 in. | | Lively | 40 | 3 50 | |
| 1½-2 ft. | | Liver | 50 | | |
| — Squarrosa Veitchii, 12-18 in. | | Lived | 18 | 1 50 | |
| 1½-2 ft. | | Livery | 30 | | |
| 2-2½ ft., sheared | | Lives | 60 | | |
| 3-4 ft., specimens | | Livid | 1 00 | 8 50 | |
| 4-5 ft., " | | Lividness | 1 50 | | |
| — Sieboldi, 12-15 in. | | Living | 35 | | |
| — Sulphurea, 2-2½ ft. | | Load | 50 | 4 50 | |
| RHODODENDRON — | | | | | |
| Best Hardy Named Varieties, 15-18 in. | | Loaded | 50 | 4 00 | \$35 00 |
| 18-24 in. | | Loader | 60 | 5 50 | 50 00 |
| 2-2½ ft. | | Loading | 1 25 | 10 00 | |
| — Chas. Dickens, 15-18 in. | | Loaf | 85 | 8 00 | |
| 18-24 in. | | Loafer | 1 00 | 9 00 | |
| — Catawbiense, 18-20 in. | | Loafing | 50 | 4 50 | 40 00 |
| 20-24 in. | | Loam | 65 | 6 00 | 50 00 |
| 2-2½ ft. | | Loamy | 1 00 | 9 00 | |
| — Maximum, (collected), 2-3 ft., clumps | | Loan | 75 | 6 00 | 50 00 |
| 3-4 ft. " | | Loathe | 1 00 | 8 50 | 75 00 |
| SCIADOPITYS —Verticillata, 12-18 in. | | Lobby | 1 00 | 8 50 | |
| 2-2½ ft. | | Lobster | 2 00 | 17 50 | |
| 2½-3 ft. | | Local | 2 50 | | |
| 3-3½ ft. | | Locality | 3 50 | | |
| TAXUS —Brevifolia, 4-6 in. | | Locate | 15 | 1 20 | 10 00 |
| 6-8 in. | | Locating | 25 | 2 00 | |
| — Baccata, English Yew, 18-24 in., bushy | | Location | 30 | 2 50 | |
| — Repandens, 8-12 in. | | Lock | 25 | 2 00 | |
| — Elegantissima, 12-15 in. | | Locked | 35 | 3 00 | |
| — Pyramidal, 3 ft., specimens | | Locket | 1 25 | | |
| 4 ft., " | | Locksmith | 1 50 | | |
| THUYA —Occidentalis, Am. Arbor Vitae, 2-2½ ft. | | Locust | 12 | 1 00 | 9 00 |
| 2½-3 ft. | | Lodge | 15 | 1 20 | 10 00 |
| 3-4 ft. | | Lodger | 30 | 2 50 | |
| 4-5 ft. | | Lodging | 50 | 4 50 | |
| 5-6 ft. | | Loft | 75 | | |
| — Aurea Lutea, Geo. Peabody, Gld., 8-12 in. | | Lofty | 30 | 2 50 | |
| 12 in.-1½ ft. | | Log | 40 | 3 50 | |
| 1½-2 ft. | | Loin | 50 | 4 50 | |
| 2-2½ ft. | | Loiter | 60 | | |
| — Columbiana, Silver Tipped, 12-15 in. | | Loitering | 30 | 2 50 | 20 00 |
| 15-18 in. | | Lone | 40 | 3 50 | |
| — Compacta, Parson's Dwf., 8-12 in. | | Lonely | 12 | 1 00 | 8 00 |
| 15-18 in. | | Lonesome | 20 | 1 75 | |
| 1½-2 ft. | | Long | 35 | | |
| — Globosa, Dwarf Globe, 8-12 in. | | Longer | 15 | 1 25 | |
| 12-15 in. | | Longest | 25 | 2 00 | |
| — Hoveyi, Hovey's Golden Dwf., 10-12 in. | | Longing | 12 | 1 00 | 8 00 |
| 15-18 in. | | Look | 20 | 1 75 | 15 00 |
| 1½-2 ft. | | Looking | 35 | 3 00 | |
| — Pyramidalis, Pyramidal Arb. Vit., 12-18 in. | | Loom | 15 | 1 00 | 8 00 |
| 1½-2 ft. | | Loop | 18 | 1 50 | 12 00 |
| 2-2½ ft. | | Loose | 25 | 2 00 | |
| 2½-3 ft. | | Loosen | 30 | 2 50 | |
| 3-4 ft. | | Lord | 50 | 4 50 | |
| 4-5 ft. | | Loss | 80 | 7 50 | |
| — Umbraculifera, Dwf. Arbor Vitae, 8-12 in. | | Lost | 20 | 1 50 | |
| 12-15 in. | | Lot | 25 | 2 00 | |
| — Vervaneana, Vervanes Golden, 2-2½ ft. | | Lottery | 45 | | |
| — Warreana, Siberian Arbor Vitae, 8-12 in. | | Loud | 12 | 1 00 | |
| 1½-2 ft. | | Love | 18 | 1 50 | 12 50 |

| | | Tel. Code | Each | Per 10 | Per 100 |
|---|-------------------|------------|---------|--------|----------|
| THUYA —Continued | | | | | |
| — Warreana, Siberian Arbor Vitae, 2-2½ ft... | Lovely.... | \$ 0 25 | \$ 2 00 | | |
| | 2½-3 ft.... | Low..... | 30 | | |
| | 3-4 ft., sheared | Lowly.... | 50 | | |
| TSUGA —Canadensis, | 1½-2 ft., bushy | Loyal.... | 35 | 3 00 | \$ 25 00 |
| Hemlock Spruce, | 2-2½ ft., " | Lucid.... | 45 | 4 00 | 35 00 |
| | 2½-3 ft., " | Luck.... | 55 | 5 00 | 45 00 |
| | 3-4 ft.., | Lumber.... | 65 | 6 00 | 55 00 |
| | 4-5 ft.., | Lump.... | 100 | | |
| — Caroliniana, 12-15 in..... | Lunatic .. | 30 | 2 50 | | |
| — Sargentia pendula, 8-12 in..... | Lunch.... | 75 | | | |
| — Hookeriana Blue Hemlock, 1-1½ ft. | Luscious... | 100 | | | |
| | 2-2½ ft.... | Lustre.... | 150 | | |
| THUYOPSIS —Borealis, Nootka Sound Cyp, 12-18 in. | Lurch.... | 35 | 3 00 | | |
| YUCCA —Filamentosa, Adam's Needle, 3 yrs.... | Lumbago . | 08 | 60 | 5 00 | |
| | 4 yrs....Lung.... | 10 | 80 | 7 00 | |

ROSES.

CLIMBING AND TRAILING.

| | | | | | | |
|---|----------------|---------------|-------|---------|-------|--|
| — Baltimore Belle, 2-3 ft..... | Mace | \$ 10 | | | | |
| — Dorothy Perkins, 2-3 ft..... | Machine .. | 10 | \$ 90 | \$ 8 00 | | |
| | 3-4 ft..... | Mad | 15 | 1 20 | 10 00 | |
| — Empress of China, 2-3 ft..... | Made | 12 | 1 00 | | | |
| — Multiflora, Japonica, 2-2½ ft..... | Magazine .. | 08 | 70 | 6 00 | | |
| | 2½-3 ft..... | Magic | 10 | 90 | 8 00 | |
| | 3-4 ft..... | Magnet | 12 | 1 10 | 10 00 | |
| — Rubiginosa, Sweet Briar, 2-3 ft., bushy | Magnify | 10 | 80 | | | |
| | 3-4 ft., " | Maiden | 12 | | | |
| — Rubrifolia, 1½-2 ft..... | Majesty | 12 | 1 00 | | | |
| — Rambler Crimson, 2-3 ft., strong | Major | 12 | 1 00 | 8 00 | | |
| — Philadelphia, 3-4 ft., | Majority | 15 | 1 20 | 10 00 | | |
| | 4-5 ft., " | Make | 18 | 1 50 | 12 00 | |
| — Pink, 1½-2 ft..... | Malady | 10 | 80 | | | |
| — Yellow, 2-3 ft..... | Malice | 12 | 1 00 | | | |
| — White, 3-4 ft..... | Malt | 15 | 1 20 | | | |
| — Setigera, 2-3 ft..... | Man | 12 | 1 00 | | | |
| — Queen of Prairie, 2-3 ft..... | Manage | 15 | 1 20 | | | |
| | 3-4 ft..... | Mankind | 10 | 80 | | |
| — Wichuraiana, 2-3 ft..... | Mansion | 12 | 1 00 | | | |
| | 3-4 ft..... | Mantle | 10 | 80 | 6 00 | |
| RUGOSA —Red, 1½-2 ft., bushy | Marble | 10 | 90 | 8 00 | | |
| | 2-3 ft., " | Margin | 12 | 1 10 | 10 00 | |
| | 3-4 ft., " | Market | 15 | 1 25 | 12 00 | |
| — White, 1½-2 ft., bushy | Mark | 15 | 1 20 | 10 00 | | |
| | 2-2½ ft., " | Mash | 18 | 1 50 | 12 00 | |

HYBRIDS, MOSESSES, ETC.—

CLASS I.—

Strong Dormant Buds in the following varieties:

| | | | | |
|---|--------------|----|------|-------|
| Alfred Colomb, Bonstettin, B. Rothchild, Clo- | | | | |
| thilde Souperf, Coq. d'Alps, D. of Edinburg, | | | | |
| Fisher Holmes, Gen. Jack, Gen. Washington, | | | | |
| Jno. Hopper, Louis Van Houtte, Mabel Morri- | | | | |
| son, Mad. G. Luizette, Mad. Plantier, M. P. | | | | |
| Wilder, Marg. Dickinson, Mrs. J. Laing, Magna | | | | |
| Charta, Paul Neyron, Perl Blanche, Prince C. | | | | |
| D. Rohan, U. Brunner. Moss, Red, White | | | | |
| and Pink | Master | 15 | 1 20 | 10 00 |

| | Tel. Code | Each | Per 10 | Per 100 |
|--|--------------------|--------|--------|---------|
| CLASS 2.—Strong Dormant Buds in the following varieties: | | | | |
| Carolina Testout, Chas. Lefevre, Clio, Duchess of Albany, Frau Carl Drutschka, Gruss au Teplitz, Glorie d'Dijon, Glorie d'Lyonaise, Hermosa, Jean Lebaud, Killarney, Kaiserin, LaFrance, M. Cochet, Mrs. R. S. Crawford, Soliel d'Or, Persian Yellow, Crested Moss | Match | \$0 15 | \$1 25 | \$12 00 |
| AMERICAN BEAUTY— | Mate | 15 | 1 50 | |
| BABY RAMBLER, 2 yrs., first class. | Material | 18 | 1 50 | 12 00 |
| 1 yr., 2 $\frac{1}{2}$ in. pots | Meadow | 08 | 50 | 3 50 |
| TREE ROSES—good assortment. | Mean | 30 | 2 50 | 22 50 |
| — Crimson Rambler | Measure | 35 | 3 00 | 25 00 |
| — Baby Rambler | Medium | 35 | 3 00 | 25 00 |
| Roses in pots, 2 $\frac{1}{2}$ in. in climbing and H. P. | Melody | 08 | 50 | 3 50 |
| " " " 3 $\frac{1}{2}$ in., " | Mercy | 10 | 80 | 7 00 |
| " " " 6 in., budded | Metal | 25 | 2 00 | 18 00 |

HARDY HERBACEOUS PERENNIALS.

| | | | | |
|--|--------------------|-------|-------|---------|
| Achillea—The Pearl, field or pot plants | Oats | \$ 10 | \$ 80 | \$ 5 00 |
| Anthemis—Tinctoria, Marguerite, pot plants | Oath | 08 | 60 | 4 00 |
| Anemone—Japonica, Jap. Windflower, pot plants | Obey | 10 | 80 | 6 00 |
| Asters—(named), field or pot plants | Object | 10 | 80 | 6 00 |
| Aquilegia—Columbine, field or pot plants | Oblige | 10 | 80 | 5 00 |
| Caryopteris—Blue Spirea, 2 yrs. field | Obscure | 10 | 80 | 6 00 |
| 1 yr. pots | Observe | | 50 | 3 00 |
| Campanula—Bellflower, pot plants | Obstruct | 08 | 60 | 4 00 |
| Chrysanthemums—Hardy pompon varieties, field | Obtain | 08 | 60 | 5 00 |
| " " " " " pot pts. | Occasion | 06 | 50 | 3 00 |
| Coreopsis, field or pot plants | Occupy | 10 | 80 | 5 00 |
| Convalaria—Lily Valley | Ocean | 10 | 80 | 5 00 |
| Dianthus—Plummaris, Hardy Pinks, pot plants | Offense | 10 | 80 | 5 00 |
| — Barbatus, Sweet William, pot plants | Office | 10 | 80 | 6 00 |
| Dicentra—Spectabilis, Bleeding Heart | Official | 10 | 80 | 6 00 |
| Digatalis—Fox Glove, field or pot plants | Oil | 10 | 80 | 5 00 |
| Delphinium—Larkspur, pot plants | Ointment | 10 | 80 | 6 00 |
| Funkia—Variegated Leaved Plantain Lily | Omelet | 10 | 80 | 6 00 |
| Subcordata | Omit | 10 | 80 | |
| Gaillardia—Grandiflora, field or pot plants | Onward | 10 | 80 | 5 00 |
| Gypsophila—Baby's Breath, pot plants | Open | 10 | 80 | 5 00 |
| Helianthus—Hardy Sunflower, field plants | Operate | 10 | 80 | 6 00 |
| Hemerocallis—Day Lily, field plants | Opinion | 10 | 80 | 6 00 |
| Heucheraria, pot plants | Oppose | 10 | 70 | |
| Hibiscus—Crimson Eye Moschentos | Oppress | 10 | 80 | 5 00 |
| Hollyhocks—Named Colors, double, field or pot pts. | Optician | 08 | 60 | 4 00 |
| Hypericum—Moserianum, field plants, 2 yrs | Orange | 10 | 80 | 6 00 |
| 1 yr. in pots | Orator | | 50 | 3 00 |
| Iberis—Semperfivrens, Candytuft, pot plants | Orchard | 10 | 80 | 6 00 |
| Iris—German (named) | Ordain | 10 | 70 | |
| — Japan (named) | Organ | 10 | 80 | 6 00 |
| — Siberica | Original | 10 | 70 | 5 00 |
| Liatris, pot plants | Organize | 10 | 80 | 5 00 |
| Lychnis—Chalcedonia, field or pot plants | Ornament | 10 | 80 | 5 00 |
| Lysamachia—Loose Strife, field plants | Orphan | 10 | 80 | |
| Monarda—Didyma, Horse Mint, field plants | Orthodox | 10 | 80 | 6 00 |
| Myosotis—Forget-me-not, field or pot plants | Our | 10 | 80 | 6 00 |
| Oneothera—Youngii Primrose, field or pot plants | Ourselv | 10 | 80 | 6 00 |
| Poppy—Oriental, pot plants | Out | 10 | 80 | 6 00 |
| Phlox—Subulata, Moss Pink | Outfit | 08 | 50 | 4 00 |
| — Perennial (best named kinds) \$40.00 per 1000 | Outlaw | 08 | 60 | 5 00 |

TRADE LIST.

21

| | Tel. Code | Each | Per 10 | Per 100 |
|---|-----------------|---------|--------|---------|
| Paeonia —Pink sorts, (named) | Outrage . . . | \$ 0 15 | \$1 20 | \$10 00 |
| —Red " " | Oblique . . . | 15 | 1 20 | 10 00 |
| —White " " | Obsolete . . . | 15 | 1 20 | 10 00 |
| —Fringe Leaf " " | Occur . . . | 20 | 1 80 | |
| —Festiva Alba " " | Octave . . . | 30 | 2 50 | 20 00 |
| —Tree Moutan " " | October . . . | 50 | | |
| Penstemon , pot plants | Oder . . . | 10 | 80 | |
| Palycodon —Japan Bellflower, pot plants | Offend . . . | 08 | 60 | 4 00 |
| Plumbago —Larpenta | One . . . | 10 | | |
| Polymonium Coerulea , pot plants | Only . . . | 10 | 80 | 6 00 |
| Primula Veris , pot plants | Opal . . . | 10 | 80 | 5 00 |
| Pyrethrum —Hybridum, pot plants | Opera . . . | 10 | 80 | 5 00 |
| Rudbeckia —Golden Glow | Opponent . . . | 10 | 80 | 6 00 |
| Sedum —Spectabilis, Stone Crop, field and pot plants | Option . . . | 10 | 80 | 6 00 |
| Variegated, field and pot plants | Orchestre . . . | 10 | 80 | 6 00 |
| Spiraea —Japonica, field plants | Organic . . . | 10 | 80 | 6 00 |
| Stokesia —Cyanea, Cornflower, field and pot plants | Outline . . . | 08 | 60 | 4 00 |
| Tritoma —Torch Lily, field and pot plants | Outlook . . . | 12 | 1 00 | 8 00 |
| Veronica —Spicata Speedwell, field plants | Owl . . . | 10 | 70 | 5 00 |
| —Subsessilis Blue Jay flowers, field and pot plants | Ox . . . | 10 | 80 | 5 00 |

HARDY GRASSES.

| | | | | |
|--|---------------|-------|--------|--------|
| Arundo — Donax , strong divisions | Pacific . . . | \$ 20 | \$1 50 | |
| Eulalia — Japonica , clumps | Pacify . . . | 10 | 75 | \$5 00 |
| —Gracillima, " | Pack . . . | 10 | 75 | 5 00 |
| —Variegated, " | Package . . . | 10 | 75 | 5 00 |
| —Zebra, " | Padlock . . . | 10 | 75 | 5 00 |
| Erianthus —Ravenne | Paint . . . | 10 | | |
| Phalarus —Var. Ribbon Grass, strong divisions | Pantry . . . | 10 | 80 | 5 00 |

MISCELLANEOUS.

| | | | | |
|--|----------------|-------|-------|--------|
| Cannas | Paper . . . | \$ 08 | \$ 60 | \$5 00 |
| Dahlias —Dbl. and single named varieties, undivided | Parade . . . | 08 | 60 | 5 00 |
| Otaheite Orange — { 3 in. pots | Paradise . . . | 40 | | |
| Am. Wonder Lemon — { 5 in. pots | Pardon . . . | 50 | | |
| Geranium —from pots | Patent . . . | 08 | 70 | 5 00 |


FRUIT DEPARTMENT.

| | | Each | Per 10 | Per 100 |
|-------------------------|---|-------|--------|---------|
| APPLES AND CRABS | — Extra, $1\frac{1}{8}$ in., XX | \$ 35 | \$3 00 | |
| | “ $\frac{7}{8}$ and 1 in., 6-8 ft X | 25 | 2 00 | |
| | First grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 5-7 ft A | 20 | 1 50 | \$14 00 |
| | Med. grade, $\frac{5}{8}$ - $\frac{3}{4}$ in., 4-6 ft B | 15 | 1 20 | 10 00 |
| Dwarf | — 3-4 ft A | 30 | | |
| | 2-3 ft M | 25 | | |
| PEARS Std. | , $1\frac{1}{8}$ in., 6-8 ft XX | 50 | | |
| | Extra, $\frac{7}{8}$ and 1 in., 6-7 ft X | 30 | 2 50 | |
| | First Grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 5-7 ft A | 25 | 2 00 | 18 00 |
| | Med. grade, $\frac{5}{8}$ - $\frac{3}{4}$ in., 4-5 ft B | 20 | 1 60 | 15 00 |
| | Bartlett and Seckel, 7¢ advance on above prices. | | | |
| | Keiffer, $1\frac{1}{4}$ in., 6-8 ft XX | 35 | | |
| | $\frac{7}{8}$ in., 6-7 ft X | 25 | 2 00 | |
| | $\frac{3}{4}$ in., 5-7 ft A | 20 | 1 75 | 15 00 |
| | $\frac{5}{8}$ in., 4-5 ft B | 15 | 1 25 | 10 00 |
| PEARS Dwf. | , $\frac{7}{8}$ and 1 in., 3-4 ft X | 25 | 2 00 | |
| | First grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 3-4 ft A | 20 | 1 50 | |
| | Med. grade, $\frac{1}{2}$ - $\frac{7}{8}$ in., 2-3 ft B | 15 | 1 00 | |
| CHERRIES | — Extra, $1\frac{1}{8}$ in., 6-8 ft XX | 60 | 5 00 | |
| | Extra, 1 in., 6-8 ft X | 45 | 4 00 | |
| | First grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 5-7 ft A | 35 | 3 00 | |
| | Med. grade, $\frac{5}{8}$ - $\frac{3}{4}$ in., 4-5 ft B | 30 | 2 50 | |
| Rocky Mountain | — Dwarf, 2-3 ft A | 20 | 1 50 | |
| PLUMS | — $1\frac{1}{4}$ in., 6-8 ft XX | 40 | 3 50 | |
| | Extra, $\frac{7}{8}$ and 1 in., 6-8 ft X | 25 | 2 00 | 17 50 |
| | First grade, $\frac{3}{4}$ - $\frac{7}{8}$ in., 5-7 ft A | 15 | 1 20 | 10 00 |
| | Medium, $\frac{5}{8}$ in., 4-5 ft B | 15 | 1 00 | 8 00 |
| PEACHES | — $\frac{3}{4}$ in., 5-7 ft XX | 12 | 1 00 | |
| | Extra, $\frac{5}{8}$ - $\frac{3}{4}$ in., 5-6 ft X | 10 | 80 | |
| | First grade, $\frac{9}{16}$ - $\frac{5}{8}$ in., 4-6 ft A | 08 | 75 | 7 00 |
| | Medium, $\frac{1}{2}$ in., 4-5 ft M | 07 | 65 | 6 00 |
| | Second grade, $\frac{7}{16}$ in., 3-4 ft B | 06 | 50 | 5 00 |
| QUINCES | — Extra, $\frac{5}{8}$ in X | 40 | 3 50 | |
| | First grade, $\frac{9}{16}$ in., 3-4 ft A | 30 | 2 50 | 22 00 |
| | Medium grade, $\frac{1}{2}$ in., 2 $\frac{1}{2}$ -3 ft M | 25 | 2 00 | 15 00 |
| | Second grade, 2-2 $\frac{1}{2}$ ft B | 20 | 1 50 | 12 00 |
| APRICOTS | — Extra $\frac{3}{4}$ in., 4-6 ft X | 25 | 2 00 | 15 00 |
| | First grade, $\frac{5}{8}$ in., 3-5 ft A | 20 | 1 50 | 12 00 |
| | Second grade, $\frac{1}{2}$ in., 2-3 ft B | 15 | 1 00 | |
| NECTARINES | — First Grade, 5-7 ft | 20 | 1 50 | |
| MULBERRIES | — Downing, Russian, 5-7 ft | 25 | 3 00 | |
| | “ “ 7-8 ft | 40 | 3 50 | |
| NUTS | — Butternut, 4-5 ft | 20 | 1 50 | |
| | Chestnut, { American, 5-6 ft | 30 | 2 50 | |
| | } Japan, 3-4 ft | 40 | 3 50 | |
| | Filberts, 3-4 ft | 25 | 2 00 | 15 00 |
| | Walnut, { English, 2-3 ft | 35 | 3 00 | |
| | } Japan, 3-5 ft | 45 | 4 00 | |
| | Hickory Shelbark, 3-4 ft | 50 | | |
| PERSIMMONS | — American, 5-6 ft | 40 | | |
| GRAPES | — Long top vines for retailing. | | | |
| | Concord, 3 yrs | 07 | 60 | 4 50 |
| | Agawam, Salem, 3 yrs | 08 | 70 | |
| | Champion, Hartford, 3 yrs | 08 | 70 | |
| | Catawba, Clinton, 3 yrs | 09 | 80 | |

TRADE LIST

23

| | | Each | Per 10 | Per 100 |
|---------------------|--|------|--------|---------|
| | | \$0 | \$0 | |
| GRAPES | —Martha Wilder, 3 yrs. | .09 | 80 | |
| | Niagara, Worden, 3 yrs. | .09 | 80 | \$7 00 |
| | Moore's Ea. Diamond, 3 yrs. | .09 | 80 | 7 00 |
| | Brighton, Delaware, 3 yrs. | .12 | 1 00 | 8 00 |
| | Pocklington, Wyoming, 3 yrs. | .12 | 1 00 | |
| | Emp. State, Vergennes, 3 yrs. | .12 | 1 00 | |
| | Campbell's Ea, Woodruff, 3 yrs. | .16 | 1 50 | |
| | Early Ohio, 3 yrs. | .13 | 1 20 | |
| | Green Mountains, 3 yrs. | .20 | 2 00 | |
| | McPike, 2 yrs. | .25 | 2 50 | |
| CURRENTS | —Lee's Black, White Grape. | | | |
| | Cherry, { strong 2 yr | .07 | 60 | 5 00 |
| | Fay's Prolific, { selected X | .08 | 70 | 6 00 |
| GOOSEBERRIES | —Downing, Houghton, 2 yrs. | .09 | 80 | 7 00 |
| | 3 yrs. | .10 | 90 | |
| | Industry, Smith's Imp., 3 yrs. | .12 | 1 00 | 9 00 |
| RASPBERRY | —Cuthbert, Gregg, Extra Selected. | | | |
| | Cuthbert, Gregg, ordinary. | | | 15 |
| | Golden Queen, Miller, etc., Extra Selected | | | 25 |
| | " " " ordinary. | | | 20 |
| BLACKBERRIES | —Ea. Harvest, Wilson's. | | | 20 |
| | Erie, Lawton, Kittatinny. | | | 25 |
| | Rathbun. | | | 30 |
| STRAWBERRY | — RASPBERRY | | | |
| WINEBERRY | | | | 50 |
| STRAWBERRIES | | | | 50 |
| ASPARAGUS | —Con. Colossal, 2 yrs. | | | 50 |
| RHUBARB | | | | 60 5 00 |



Location: 17 miles from New York. Take Morris County Trolley from Elizabeth, Millburn or Summit (directly passing our office).

Rahway Valley R. R. connecting with the C. R. R. of N. J. and Lehigh Val. R. R. ($\frac{1}{2}$ mile from station to our office). D. L. & W. R. R. to Millburn Station (1 mile from our office) connected by Trolley.